


Full Synthetic Personenwagens (Roetfilter)		Art. no.	Package
Performance level			
Eurol Excence 5W-30	Ford/Mazda/Volvo - C1	E100059-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - LOW SAPS		E100059-60L	60 L
ACEA: A1/A5/B1/B5 (07) - ACEA C1 (08) - FORD M2C-934A - JASO DL-1 (05)		E100059-20L	20 L
		E100059-5L	4x5 L
		E100059-1L	12x1 L
Eurol Ultrance 0W-30 SM/CF	MB 229.51 - C3	E100024-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS		E100024-60L	60 L
ACEA: ACEA C3 (12) - BMW Longlife-04 - MB 229.51		E100024-1L	12x1 L
Eurol Fluence 5W-30 SM/CF	MB 229.31 - C3	E100071-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS		E100071-60L	60 L
ACEA: A3/B4 (07) ACEA C3 (08) - API SM/CF - MB 229.1/229.3/229.31 (APPROVED)		E100071-20L	20 L
BMW LL-01/LL-04 - Renault RN0700		E100071-5L	4x5 L
		E100071-1L	12x1 L
Eurol Fluence 5W-40 SN/CF	MB 229.51 - C3	E100054-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS		E100054-60L	60 L
ACEA: A3/B4 (08) ACEA C3 (10) - API SN/CF - MB 229.1/229.3/229.51		E100054-20L	20 L
VW 500.00/502.00/505.00/505.01 - Porsche A40 - Ford M2C-917A - GM Dexos 2		E100054-5L	4x5 L
		E100054-1L	12x1 L
Eurol Fluence FE 5W-30 SM/CF	PSA - C2	E100069-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS		E100069-60L	60 L
ACEA: A1/A5/B1/B5 (07) - ACEA C2 (08)- ILSAC GF-3 - BMW LL-01 FE - PSA B71 2290		E100069-20L	20 L
		E100069-5L	4x5 L
		E100069-1L	12x1 L
Eurol Fluence 5W-30 DXS SN/CF	DEXOS2 - C3	E100076-210L	210 L
Fully Synthetic - Longlife - MID SAPS		E100076-60L	60 L
API: SM/CF - ACEA A3/B4 (07), C3 (08) - GM Dexos 2 - VW 502.00 / 505.00 / 505.01 (2005)		E100076-20L	20 L
MB: 229.31 / 229.51 - BMW LL-01 / LL-04 - Ford M2C-917A - GM-LL-A-025 / B-25		E100076-5L	4x5 L
		E100076-4L	4x4 L
		E100076-1L	12x1 L
Eurol Optence 5W-30 SL/CF	MB 229.51 - C3	E100073-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS		E100073-60L	60 L
ACEA: A3/B4(07) ACEA C3 (08) - API SL/CF - MB 229.31/229.51 - BMW LL-01/LL-04		E100073-20L	20 L
FORD M2C-917A - VW 502.00/505.00/ 505.01 (05)		E100073-5L	4x5 L
		E100073-1L	12x1 L
Eurol Syntence 5W-30	VW 504/507 - C3	E100062-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS		E100062-60L	60 L
ACEA: A3/B4 (04) ACEA C3 - VW 504.00/507.00 - MB 229.51		E100062-20L	20 L
		E100062-5L	4x5 L
		E100062-4L	4x4 L
		E100062-1L	12x1 L



Quality is in our nature

Full Synthetic Personenwagens (Roetfilter)

	Art. no.	Package
Performance level		
Eurol Turbo DI 5W-40 SM/CF VW 505.01 - C3	E100085-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - MID SAPS	E100085-60L	60 L
ACEA: A3/B4 (07) ACEA C3 (08) - API SM/CF - MB 229.1/229.31 - BMW LL01/LL04	E100085-20L	20 L
VW 500/505/502/505.01 (05) - PORSCHE A40 - FORD WSS-M2C-917A - Renault RN0710	E100085-5L	4x5 L
	E100085-4L	4x4 L
	E100085-1L	12x1 L

Eurol Actence 5W-30 Renault - C3 and C4

Fully Synthetic - Fuel Economy - Longlife - MID SAPS	E100058-210L	210 L
ACEA: A3/B4 (07) - ACEA C3/C4 (08) - RENAULT RN 0720	E100058-60L	60 L
	E100058-5L	4x5 L
	E100058-1L	12x1 L

Fully Synthetic passenger car motor oils

	Art. no.	Package
Performance level		
Eurol Synergy 0W-30 SL/CF	E100067-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel	E100067-60L	60 L
ACEA A3/B4 (07) - API SL/CF - VW 502.00/505.00/503.01	E100067-5L	4x5 L
PORSCHE A40 - MB 229.1 / 229.3 - BMW LONG LIFE 98	E100067-1L	12x1 L

Eurol Synergy 0W-40 SL/CF

Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel	E100064-60L	60 L
ACEA A3/B4 (07) - API SL/CF - VW 502.00/505.00/503.01	E100064-5L	4x5 L
PORSCHE A40 - MB 229.1 / 229.3 - BMW LONG LIFE 98	E100064-1L	12x1 L

Eurol Super Ultra II 0W-30 VW 506.01

Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel	E100063-210L	210 L
ACEA: A1/A5/B1/B5 (04) - VW 503.00/506.00/506.01 - BMW LL-01 FE	E100063-60L	60 L
	E100063-20L	20 L
	E100063-5L	4x5 L
	E100063-1L	12x1 L

Eurol Evolence 0W-20 SN/GF-5

Fully Synthetic - Fuel Economy - Longlife - Gasoline	E100128-210L	210 L
API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M	E100128-60L	60 L
Suitable for hybrid cars from Toyota, Honda and Lexus	E100128-5L	4x5 L
	E100128-1L	12x1 L

Eurol Evolence 0W-30 SN/GF-5


Fully Synthetic - Fuel Economy - Longlife - Gasoline	E100129-210L	210 L
API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M	E100129-60L	60 L
Suitable for hybrid cars from Toyota, Honda and Lexus	E100129-5L	4x5 L

Eurol Evolence 5W-20 SN/GF-5


Fully Synthetic - Fuel Economy - Longlife - Gasoline	E100130-210L	210 L
API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M	E100130-60L	60 L
Suitable for hybrid cars from Toyota, Honda and Lexus	E100130-5L	4x5 L
	E100130-1L	12x1 L

Eurol Evolence 5W-30 SN/GF-5

Fully Synthetic - Fuel Economy - Longlife - Gasoline	E100131-210L	210 L
API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M	E100131-60L	60 L
Suitable for hybrid cars from Toyota, Honda and Lexus	E100131-5L	4x5 L
	E100131-1L	12x1 L




Fully Synthetic passenger car motor oils	Art. no.	Package
Performance level		
Eurol Evolence 10W-30 SN/GF-5	E100132-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline	E100132-60L	60 L
API SN; API SN-RC - ILSAC GF-5, GM Dexos 1 - GM LL-A-025, GM 6094M and GM 4718M	E100132-5L	4x5 L
Suitable for hybrid cars from Toyota, Honda and Lexus	E100132-1L	12x1 L
Eurol Ecopower 5W-20	E100072-20L	20 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline	E100072-1L	12x1 L
Eurol Syntolin 5W-20 SM/GF-4	E100087-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline	E100087-60L	60 L
API SM; ILSAC GF-4; Ford WSS-M2C 925A (Jaguar, Landrover) - Ford WSS-M2C-930A	E100087-20L	20 L
Chrysler MS-6395; Honda; Mazda; Nissan; Mitsubishi DiaQueen		
Eurol Protence 5W-30 SL/CF OPEL/SAAB	E100068-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel	E100068-60L	60 L
ACEA: A3/B4 (07) - API SL/CF - MB 229.3 - VW 502.00/505.00	E100068-20L	20 L
GM-LL-A-025 / GM-LL-B-025	E100068-5L	4x5 L
	E100068-1L	12x1 L
Eurol Benefix 5W-30 SL/GF-2 FORD	E100066-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel	E100066-60L	60 L
ACEA: A1/B1 (04), A5(02) - API SL - ILSAC GF-1/GF-2	E100066-20L	20 L
FORD WSS-M2C-912A - 913A/B	E100066-5L	4x5 L
	E100066-1L	12x1 L
Eurol Fortence 5W-30 SL FORD	E100065-210L	210 L
Fully Synthetic - Fuel Economy - Longlife	E100065-60L	60 L
ACEA A5/B5 (08), A1/B1 (08)	E100065-5L	4x5 L
Ford WSS-M2C-913C en 912A, 913A/B	E100065-1L	12x1 L
Eurol Super Lite 5W-20 SM/CF	E100089-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Benz./diesel	E100089-5L	4x5 L
API: SM/CF ACEA: A3/B4 (08)		
Eurol Super Lite 5W-30 SM/CF	E100091-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel	E100091-60L	60 L
ACEA: A3/B4 (04) - API SM/CF - MB 229.1/229.3 - VW 502.00/505.00	E100091-20L	20 L
GM-LL-B-025 - BMW LL-98	E100091-5L	4x5 L
	E100091-4L	4x4 L
	E100091-1L	12x1 L
Eurol Super Lite 5W-40 SN/CF	E100092-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel	E100092-60L	60 L
ACEA: A3/B4 (08) - API SN/CF - MB 229.1/229.3 - VW 502.00/505.00	E100092-20L	20 L
GM-LL-B-025 - BMW LL-01 - PORSCHE A40 - Renault RN 0700 / RN 0710	E100092-5L	4x5 L
	E100092-4L	4x4 L
	E100092-1L	12x1 L



Fully Synthetic passenger car motor oils	Art. no.	Package
Performance level		
Eurol Super Lite 5W-50 SM/CF	E100093-210L	210 L
Fully Synthetic - Fuel Economy - Longlife - Gasoline/diesel	E100093-60L	60 L
ACEA: A3/B4 (04) - API SM/CF - MB 229.1/229.3 - VW 502.00/505.00	E100093-20L	20 L
GM-LL-B-025 - BMW LL-98	E100093-4L	4x4 L
	E100093-1L	12x1 L
Eurol Maxence RC 10W-60 SM/CF	E100061-210L	210 L
Fully Synthetic - Gasoline/diesel - Rally and race-applications	E100061-60L	60 L
ACEA: A3/B4 (04) - API SM/CF - MB 229.1 - VW 500.00/505.00	E100061-20L	20 L
BMW Special Oil - Porsche A40	E100061-5L	4x5 L
	E100061-4L	4x4 L
	E100061-1L	12x1 L
Semi-Synthetic passenger car motor oils	Art. no.	Package
Performance level		
Eurol Turbosyn 10W-40 SL/CF	E100094-210L	210 L
Semi-Synthetic - Gasoline/diesel	E100094-60L	60 L
ACEA: A3/B4 (08) - API SL/CF - MB 229.1 - VW 500.00/505.00	E100094-20L	20 L
BMW Special Oil - Porsche GL	E100094-5L	4x5 L
	E100094-4L	4x4 L
	E100094-1L	12x1 L
Eurol Turbosyn 15W-50 SL/CF	E100039-210L	210 L
Semi-Synthetic - Gasoline/diesel	E100039-60L	60 L
ACEA: A3/B4 (08) - API SL/CF - MB 229.1 - VW 500.00/505.00	E100039-20L	20 L
BMW Special Oil - Porsche GL	E100039-4L	4x4 L
	E100039-1L	12x1 L
Eurol Synto-V 5W-30 SL/CF	E100051-210L	210 L
Semi Synthetic - Gasoline/diesel	E100051-60L	4x5 L
ACEA: A3/B4 (04) - API SL/CF - VW 502.00/505.00	E100051-20L	4x4 L
	E100051-5L	12x1 L
	E100051-4L	
Eurol Synto-V 5W-40 SL/CF		210 L
Semi Synthetic - Gasoline/diesel	E100050-210L	60 L
ACEA: A3/B4 (04) - API SL/CF - VW 502.00/505.00	E100050-60L	20 L
	E100050-20L	4x5 L
	E100050-5L	4x4 L
	E100050-4L	12x1 L
Eurol Turbocat 10W-40 SL/CF	E100114-210L	210 L
Semi-Synthetic - Gasoline/diesel	E100114-60L	60 L
ACEA: A3/B3 (04) - API SL/CF - VW 500.00/505.00 - MB 229.1	E100114-20L	20 L
	E100114-5L	4x5 L
	E100114-1L	12x1 L



Fully Synthetic Truck motor oils		Art. no.	Package
Performance level			
Eurol Syntrax 5W-30 CF	ACEA E4/E5/E7	E100116-210L	210 L
Fully Synthetic - Long drain -EURO 3, 4 and 5 (without Particle filter)		E100116-60L	60 L
ACEA: E4/E5/E7 (04) - MTU Type 3 - MAN 3277 - DAF HP1 / HP2 - VOLVO VDS-2/VDS-3		E100116-20L	20 L
RENAULT RXD - SCANIA LDF - MB 228.3/228.5/235.28 - MACK EO/M+ - CUMMINS-077 - Voith Class B		E100116-5L	4x5 L
Eurol Marathol 5W-30 FE	ACEA 2010	E100120-210L	210 L
Fully Synthetic - Long drain -EURO 3, 4, 5 and 6 - LOW SAPS		E100120-60L	60 L
ACEA: E6/E7/E9 (08) - DAF HP-2 - MB 228.31/228.51 - MTU Type 3 - 3.1		E100120-20L	20 L
VOLVO VDS-3 /VDS-4 - RENAULT RXD, RLD-2, RGD, RLD-3 - MAN 3271-1			
Eurol Geo-Max 5W-30 FE	ACEA 2010	E100109-210L	210 L
Fully Synthetic - Long drain -EURO 3, 4, 5 and 6 - LOW SAPS		E100109-60L	60 L
API CJ-4 - ACEA E4-12/E6-12/E7-12/E9-12 - Volvo VDS 4 - MAN M3477/M3575/M3271-1		E100109-20L	20 L
Mack EO-O PP - Renault RLD-3/RLD-2 - Deutz DQC IV-10 LA - MB 228.31/228.51			
MTU Type 3.1 - Detroit Diesel 93K218 - Caterpillar ECF-3 - Cummins 20081			
Eurol Marathol 10W-40	ACEA E4/E6/E7	E100119-210L	210 L
Fully Synthetic - Long drain -EURO 3, 4 and 5 - LOW SAPS		E100119-60L	60 L
ACEA: E4/E6/E7 (04) - DAF HP-2 - MB 228.5/228.51 - MTU Type 3 - 3.1		E100119-20L	20 L
VOLVO VDS-3 - RENAULT RXD - MAN 3277/3277 CRT/3477 - DEUTZ DDQ-III		E100119-5L	4x5 L
Eurol Geo-Max 10W-40	ACEA 2010	E100121-210L	210 L
Fully Synthetic - Long drain -EURO 4, 5 and 6 - LOW SAPS		E100121-60L	60 L
API CJ-4 - ACEA E4/E6/E7/E9 (2010) - Volvo VDS-3&4 - MB 228.51/228.31 - MAN 3477/3575/3271-1 - DAF HP-2 / Long Drain		E100121-20L	20 L
Eurol Syntruck XLD 10W-40		E100122-210L	210 L
Fully Synthetic - Long drain -EURO 3, 4, and 5 (without Particle filter)		E100122-60L	60 L
ACEA: E4/E7 (04) - MB 228.5 - VOLVO VDS-2/VDS-3		E100122-20L	20 L
MAN 3277 - RENAULT RXD/RLD-2 - DAF HP-2 - MTU/DDC TYPE 3		E100122-5L	4x5 L
Semi-Synthetic Truck - Van motor oils		Art. no.	Package
Performance level			
Eurol Endurance LD 10W-40 CI-4+	SCANIA LDF-2	E100117-210L	210 L
Semi-Synthetic - Long drain -EURO 2, 3, 4 en EURO 5		E100117-60L	60 L
API: CF/CI-4/CH-4/CG-4/CF-4 - ACEA: E4/E7 (08) MB 228.5 ; Volvo: VDS-2/VDS-3 ; MAN: 3277		E100117-20L	20 L
DAF HP-2 ; Deutz DDQ-III; Renault RXD/RLD-2 ; Scania LDF-2 ; MTU/DDC type 3 ; Cummins CES 20077/78		E100117-5L	4x5 L
Eurol Fusion 10W-40 Synthetic SL/CI-4+		E100113-210L	210 L
Semi-Synthetic - Long drain -EURO 2, 3, 4 (without Particle filter)		E100113-60L	60 L
ACEA: A3/B4/E7 (04) - E3/E5 (02) - E7 (04) - API SL/CI-4 - VOLVO VDS-2/VDS-3 - MAN 271/3275		E100113-20L	20 L
MTU/DDC TYPE 2 - MB 228.3/228.1/229.1 - RENAULT RLD/RLD-2 - GLOBAL DHD-1 /DLD-1/DLD-3 -		E100113-5L	4x5 L
Eurol Globence 10W-30	ACEA E9	E100123-210L	210 L
Semi-Synthetic - EURO 3, 4 EN 5 - LOW SAPS		E100123-60L	60 L
API CJ-4/SM, Volvo VDS-4, MB 228.3, MTU type II, Global DHD-1, MAN M3275,		E100123-20L	20 L
Eurol Globence 15W-40	VOLVO VDS-4	E100124-210L	210 L
Semi-Synthetic - Long drain -EURO 2, 3, 4 and EURO 5		E100124-60L	60 L
API: CJ-4/SM, Volvo VDS-4, ACEA E7/E9, Caterpillar ECF-3 / ECF-1, MAN M3275, MB 228.31		E100124-20L	20 L
Cummins CES 20081, DDC PGOS 93 K 218, MTU type 2, Global DHD-1, Mack EO-O Premium Plus,		E100124-5L	4x5 L



Mineral Truck - Van motor oils

Performance level

	Art. no.	Package
Eurol SHPD 15W-40 SL/CI-4	E100110-210L	210 L
Mineral - EURO 2, 3	E100110-60L	60 L
ACEA: A3/B4/E7 (04) - E3/E5 (02) - API SL/CI-4 - VOLVO VDS-2/VDS-3	E100110-20L	20 L
MTU/DDC TYPE 2 - MB 228.3/228.1 /229.1 - MAN 271/3275 - RENAULT RD / RLD	E100110-5L	4x5 L

Eurol SHPD 20W-50 SL/CI-4

Mineral - EURO 2, 3

ACEA: A3/B4/E7 (04) - E3/E5 (02) - API SL/CI-4 - VOLVO VDS-2/VDS-3	E100047-210L	210 L
MTU/DDC TYPE 2 - MB 228.3/228.1 /229.1 - MAN 271/3275 - RENAULT RD / RLD	E100047-60L	60 L
	E100047-20L	20 L
	E100047-4L	4x4 L

Mineral Fleet motor oils

Performance level

	Art. no.	Package
Eurol Multi-Use 15W-40 SL/CI-4	E100105-210L	210 L
Mineral - EURO 2, 3	E100105-60L	60 L
ACEA: A3/B4 (04) - E3 (02) - API SL/CI-4 - VOLVO VDS - VW 501.01/505.00	E100105-20L	20 L
MTU/DDC TYPE 1 - MB 229.1/228.1 - MAN 271 - RENAULT RD - MACK EO/M	E100105-5L	4x5 L
ALLISON C4 - CATERPILLAR ECF-1 - ZF-TE 02C/03A/04B/04C/07C	E100105-4L	4x4 L
	E100105-1L	12x1 L

Eurol Multi-Use 20W-50 SL/CI-4

Mineral - EURO 2, 3

ACEA: A3/B4 (04) - E3 (02) - API SL/CI-4 - VOLVO VDS - VW 501.01/505.00	E100108-210L	210 L
MTU/DDC TYPE 1 - MB 229.1/228.1 - MAN 271 - RENAULT RD - MACK EO/M	E100108-60L	60 L
ALLISON C4 - CATERPILLAR ECF-1 - ZF-TE 02C/03A/04B/04C/07C	E100108-20L	20 L
	E100108-5L	4x5 L
	E100108-4L	4x4 L
	E100108-1L	12x1 L

Mineral SJ-CF4


Performance level

	Art. no.	Package
Eurol Multifleet 15W-40 SJ/CG-4	E100046-210L	210 L
Mineral - mixed fleet - Gasoline/diesel	E100046-60L	60 L
ACEA: A2/B3/E2 (02) -A3 (98) - MB 228.1/229.1 - MAN 271	E100046-20L	20 L
VW 501.01/505.00 - VOLVO VDS - MACK EO/L	E100046-5L	4x5 L
	E100046-4L	4x4 L
	E100046-1L	12x1 L


Eurol Multifleet 20W-50 SJ/CG-4

Mineral - mixed fleet - Gasoline/diesel


ACEA: A2/B3/E2 (02) -A3 (98) - MB 228.1/229.1 - MAN 271	E100041-210L	210 L
VW 501.01/505.00 - VOLVO VDS - MACK EO/L	E100041-60L	60 L
	E100041-20L	20 L
	E100041-5L	4x5 L
	E100041-4L	4x4 L
	E100041-1L	12x1 L




Mineral passenger car motor oils	Art. no.	Package
<i>Performance level</i>		
Eurol Turbocat 15W-40 SL/CF	E100022-210L	210 L
<i>Mineral - Gasoline/diesel</i>	E100022-60L	60 L
ACEA: A3/B3 - API SL/CF - VW 501.01/505.00 - MB 229.1	E100022-20L	20 L
	E100022-5L	4x5 L
	E100022-4L	4x4 L
	E100022-1L	12x1 L
Eurol Turbocat 20W-50 SL/CF	E100021-210L	210 L
<i>Mineral - Gasoline/diesel</i>	E100021-60L	60 L
ACEA: A3/B3 - API SL/CF - VW 501.01/505.00 - MB 229.1	E100021-20L	20 L
	E100021-5L	4x5 L
	E100021-1L	12x1 L
Mineral SG-CF4 / SF-CC/CD		
<i>Performance level</i>		
Eurol Bediga 10W-40 SG/CF-4	E100096-210L	210 L
<i>Mineral - mixed fleet - Gasoline/diesel</i>	E100096-60L	60 L
API SG/CF-4 - MB 228.1 MIL-L-2104D/MIL-L-46152EC - VW 501.00/505.00 - GM 6085-M	E100096-20L	20 L
Ford M2C-153C - CCMC G4/D4/PD-2	E100096-4L	4x4 L
	E100096-1L	12x1 L
Eurol Bediga 15W-40 SG/CF-4	E100125-210L	210 L
<i>Mineral - mixed fleet - Gasoline/diesel</i>	E100125-60L	60 L
API SG/CF-4 - MB 228.1 MIL-L-2104D/MIL-L-46152EC - VW 501.00/505.00 - GM 6085-M	E100125-20L	20 L
Ford M2C-153C - CCMC G4/D4/PD-2	E100125-5L	4x5 L
	E100125-4L	4x4 L
	E100125-1L	12x1 L
Eurol Bediga 20W-50 SG/CF-4	E100045-210L	210 L
<i>Mineral - mixed fleet - Gasoline/diesel</i>	E100045-60L	60 L
API SG/CF-4 - MB 228.1 MIL-L-2104D/MIL-L-46152EC - VW 501.00/505.00 - GM 6085-M	E100045-20L	20 L
Ford M2C-153C - CCMC G4/D4/PD-2	E100045-5L	4x5 L
	E100045-4L	4x4 L
	E100045-1L	12x1 L
Eurol Special 10W-30 SF/CC-CD	E100060-210L	210 L
<i>Mineral - mixed fleet - Gasoline/diesel</i>	E100060-60L	60 L
API SF/CC-CD - MB 226.1	E100060-4L	4x4 L
	E100060-1L	12x1 L
Eurol Special 10W-40 SF/CC-CD	E100010-210L	210 L
<i>Mineral - mixed fleet - Gasoline/diesel</i>	E100010-60L	60 L
API SF/CC-CD - MIL-L-46152C /MIL-L-2104B - MB 226.1 - CCMC G2/D1 - FORD: M2C-153C	E100010-20L	20 L
GM: P 6085-M	E100010-5L	4x5 L
	E100010-1L	12x1 L




Mineral SG-CF4 / SF-CC/CD	Art. no.	Package	
<i>Performance level</i>			
Eurol Special 15W-40 SF/CC-CD	E100020-210L	210 L	
Mineral - mixed fleet - Gasoline/diesel	E100020-60L	60 L	
API SF/CC-CD - MIL-L-46152C /MIL-L-2104B - MB 226.1 - CCMC G2/D1 - FORD: M2C-153C	E100020-20L	20 L	
GM: P 6085-M	E100020-5L	4x5 L	
	E100020-4L	4x4 L	
	E100020-1L	12x1 L	
Eurol Special 20W-50 SF/CC-CD	E100040-210L	210 L	
Mineral - mixed fleet - Gasoline/diesel	E100040-60L	60 L	
API SF/CC-CD - MIL-L-46152C /MIL-L-2104B - MB 226.1 - CCMC G2/D1 - FORD: M2C-153C	E100040-20L	20 L	
GM: P 6085-M	E100040-5L	4x5 L	
	E100040-4L	4x4 L	
	E100040-1L	12x1 L	
Old timer oil	Art. no.	Package	
<i>Performance level</i>			
Eurol Super Premium SAE 30	E101170-210L	210 L	
Non-doped mineral oil	E101170-60L	60 L	
	E101170-20L	20 L	
	E101170-5L	4x5 L	
	E101170-250ML	12x250 ML	
Eurol Super Premium SAE 40	E101180-60L	60 L	
Non-doped mineral oil	E101180-20L	20 L	
	E101180-5L	4x5 L	
Eurol Super Premium SAE 50	E101190-20L	20 L	
Non-doped mineral oil	E101190-5L	4x5 L	
Monograde oil SG/CF4	ACEA E2	Art. no.	Package
<i>Performance level</i>			
Eurol HDX SAE 30 SG-CF4/CF2		E100271-210L	210 L
ACEA E2 (02) - API SG/CF/CF-4 and CF-2 - MB 227.0/228.0		E100271-60L	60 L
MAN 270 - MIL-L-2104E/46152B/C - ZF-02C - FORD: ESE-M2C-153C (SF/CD)		E100271-20L	20 L
Eurol HDX SAE 40 SG-CF4/CF2		E100272-210L	210 L
ACEA E2 (02) - API SG/CF/CF-4 and CF-2 - MB 227.0/228.0		E100272-60L	60 L
MAN 270 - MIL-L-2104E/46152B/C - ZF-02C - FORD: ESE-M2C-153C (SF/CD)		E100272-20L	20 L
		E100272-5L	4x5 L
Monograde oil SF/CF-CF2	Art. no.	Package	
<i>Performance level</i>			
Eurol HDS SAE 10 SF/CF	E101250-210L	210 L	
API SF/CF - MIL-L-2104E/46152B/C - MB 227.0 - MAN 270 - FORD: ESE-M2C-153C	E101250-60L	60 L	
	E101250-20L	20 L	
Eurol HDS SAE 20 SF/CF	E101260-210L	210 L	
API SF/CF - MIL-L-2104E/46152B/C - MB 227.0 - MAN 270 - FORD: ESE-M2C-153C	E101260-60L	60 L	
	E101260-20L	20 L	




Monograde oil SF/CF-CF2	Art. no.	Package
Performance level		
Eurol HDS SAE 30 SF/CF/CF-2	E101270-210L	210 L
API SF/CF/CF2 -MIL-L-2104E/46152B/C - MB 227.0 - MAN 270 - FORD M2C-153C	E101270-60L	60 L
	E101270-20L	20 L
	E101270-5L	4x5 L
Eurol HDS SAE 40 SF/CF/CF-2	E101275-210L	210 L
API SF/CF/CF2 -MIL-L-2104E/46152B/C - MB 227.0 - MAN 270 - FORD M2C-153C	E101275-60L	60 L
	E101275-20L	20 L
	E101275-5L	4x5 L
	E101275-1L	12x1 L
Monograde oil SF/CC	Art. no.	Package
Performance level		
Eurol Monograde 30 SF/CC	E101220-210L	210 L
API SF/CC - MIL-L-2104B/46152C	E101220-60L	60 L
MB 226.1 - FORD: ESE-M2C-153C	E101220-20L	20 L
	E101220-5L	4x5 L
	E101220-1L	12x1 L
Eurol Monograde 40 SF/CC	E101230-210L	210 L
API SF/CC - MIL-L-2104B/46152C	E101230-60L	60 L
MB 226.1 - FORD: ESE-M2C-153C	E101230-20L	20 L
Synthetic Transmission oil	Art. no.	Package
Performance level		
Eurol Fultrax 75W-140 LS	E110077-210L	210 L
Fully Synthetic - Limited Slip Differential	E110077-60L	60 L
API: GL5; Scania STO 1:0, ZF-TE-ML 05D, 12D, 16G, "LSD"	E110077-20L	20 L
	E110077-1L	6x1 L
Eurol Fultrasyn 75W-90 GL 3/4/5	E110076-210L	210 L
Fully Synthetic - Total Drive Line	E110076-60L	60 L
API: GL3/4/5; MT 1; MAN 341/342/3343 ; SCANIA STO 1:0 BOX	E110076-20L	20 L
MIL-L-2105 B/C/D-PRF 2105E; VOLVO 97310; DAF	E110076-5L	4x5 L
ZF-TE-ML 01/02B/05B/07A/08A/012/16F/17B; MB 235.11	E110076-1L	12x1 L
Eurol Transyn 75W-90 GL 4/5	E110075-210L	210 L
Semi-Synthetic - Total Drive Line	E110075-60L	60 L
API: GL3/4/5; MT 1; MAN 341/342/3343 ; SCANIA STO 1:0 BOX	E110075-20L	20 L
MIL-L-2105 B/C/D-PRF 2105E; VOLVO 97310; DAF ZF TE-ML 02	E110075-5L	4x5 L
ZF-TE-ML 01/02B/05B/07A/08A	E110075-1L	12x1 L
Eurol Transfluid STF	E113667-210L	210 L
Semi-Synthetic - Automatic - Manual transmission	E113667-60L	60 L
Problematic manual transmissions and electronically controlled automatic transmissions.	E113667-20L	20 L
API GL4, Caterpillar TO-2	E113667-5L	4x5 L
	E113667-4L	4x4 L
	E113667-1L	12x1 L



Transmission oil GL 5	Art. no.	Package
<i>Performance level</i>		
Eurol MTF 75W-80 GL-5	E110080-60L	60 L
Fully-Synthetic - Transmission and final drive	E110080-20L	20 L
MIL-L-2105-D, VOLVO 97308, FORD M2C200-C/C2/C3, VW 501 50 (G 005 000 05 / G005 000 / G 005 000 20 /C VW TL 521 71 (G 052 171 A1/A2)	E110080-1L	12x1 L
Eurol MTF 75W-85 GL-5, incl Limited Slip	E110081-60L	60 L
Fully-Synthetic - Transmission and final drive	E110081-20L	20 L
MIL-L-2105-D, MB 235,7 / 235,15, FIAT/ALFA ROMEO/LANCIA 9,55550-MX3/MZ1 VW TL 521 45-X (G 052 145 A1), VW TL 521 90 (G052 190 A2/G055 190 A2), ZF TE-ML 18	E110081-1L	12x1 L
Eurol HPG 80W-90 TDL GL3/4/5	E110627-210L	210 L
API: GL3/4/5; MT 1; MAN 341/342/3341 - ZF-TE-ML 01/02/05/07/08	E110627-60L	60 L
MIL-L-2105 B/C/D/E - MIL-PRF 2105E; VOLVO 97310 - SCANIA STO 1:0 and 2:0	E110627-20L	20 L
	E110627-5L	4x5 L
Eurol HPG SAE 80W-90 GL5	E110630-210L	210 L
API GL-5 - MIL-L-2105D - Mack GO-G	E110630-60L	60 L
ZF TE-ML 05A,12A - MAN 342N - MAN 342 typ M-1	E110630-20L	20 L
	E110630-5L	4x5 L
	E110630-1L	12x1 L
Eurol HPG SAE 85W-90 GL5	E110635-210L	210 L
API GL-5 - MIL-L-2105D - MB 235.0 -Volvo 97310	E110635-60L	60 L
RVI 03-80-4003 - MAN 342N-342 typ M-1 - ZF TE-ML 05A, 07A, 08,16F, 17B	E110635-20L	20 L
	E110635-5L	4x5 L
	E110635-1L	12x1 L
Eurol HPG SAE 80W-90 GL5 LSD	E110634-210L	210 L
API GL-5 - MIL-L-2105D - ZF TE-ML 05C/12C/16E - MT-1	E110634-60L	60 L
	E110634-20L	20 L
	E110634-5L	4x5 L
Eurol HPG EP SAE 85W-140 GL5	E110640-210L	210 L
API GL-5 - MIL-L-2105D - Mack GO-G - ZF TE-ML 05A,12A	E110640-60L	60 L
MAN 342N - MAN 342 typ M-1	E110640-20L	20 L
	E110640-5L	4x5 L
Eurol HPG EP SAE 85W-140 GL5 LSD	E110641-20L	20 L
API GL-5 - MIL-L-2105D - ZF TE-ML 05C/12C/16E - MT-1 - Case MS 1317	E110641-5L	4x5 L
Eurol HPG 75W-80 GL5 CP	E110072-210L	210 L
API GL 5 - MIL-L-2105D - PSA B71 2330 - Citroën, Peugeot, Renault, Volvo.	E110072-60L	60 L
	E110072-20L	20 L
	E110072-5L	4x5 L
	E110072-1L	12x1 L



Transmission oil GL 4	Art. no.	Package
<i>Performance level</i>		
Euroil MTF 75W GL-4	E110073-60L	60 L
Semi-Synthetic - Transmission and final drive	E110073-20L	20 L
VW TL 521 78 (G 052 178 A2), VW TL 525 12 (G 052 512 A2)	E110073-1L	12x1 L
VW TL 726 (G 052 726 A2 / G 055 726 A2 / G 060 726 A2/ G 070 726 A2)		
Euroil HPX ZM 75W-80 GL-4	E110074-210L	210 L
Semi-Synthetic - Transmission and final drive	E110074-60L	60 L
API: GL-4; DAF; Volvo 97307; MB 235.4; ZF-TE-ML 02D	E110074-20L	20 L
MAN 341 TL / Z-3; RENAULT; EATON LD	E110074-5L	4x5 L
Euroil MPG SAE 80W GL4	E110590-210L	210 L
API: GL-4 - MIL-L-2105 - MB 235.1 - MAN 341N / Z-1	E110590-60L	60 L
	E110590-20L	20 L
	E110590-5L	4x5 L
Euroil MPG SAE 80W-90 GL4	E110605-210L	210 L
API: GL-4 - MIL-L-2105	E110605-60L	60 L
	E110605-20L	20 L
	E110605-5L	4x5 L
	E110605-4L	4x4 L
	E110605-1L	12x1 L
Euroil MPG SAE 85W-90 GL4	E110600-210L	210 L
API: GL-4 - MIL-L-2105	E110600-60L	60 L
	E110600-5L	4x5 L
Euroil MPG SAE 85W-140 GL4	E110610-210L	210 L
API: GL-4 - MIL-L-2105	E110610-60L	60 L
	E110610-20L	20 L
	E110610-5L	4x5 L
	E110610-4L	4x4 L
Euroil Eurolube SAE 80W GL1	E110500-60L	60 L
NON EP	E110500-20L	20 L
	E110500-1L	6x1 L
	E110500-500ML	12x500 ML
	E110500-250ML	12x250 ML
Fully Synthetic ATF	Art. no.	Package
<i>Performance level</i>		
Euroil ATF 1100	E113661-210L	210 L
Fully Synthetic - Japanese and American cars - multi vehicle	E113661-60L	60 L
Dexron II-III; Mercon, Mercon V; Toyota T-III; T-IV; ISUZU; HONDA Z1; MB 236.1...236.9;	E113661-20L	20 L
NISSAN MATIC D, J and K - SAAB 93 165 147; Hyundai/Mitsubishi SP, SP-II/SP-III	E113661-5L	4x5 L
	E113661-1L	12x1 L
Euroil ATF 4100	E113655-210L	210 L
Fully Synthetic - Chrysler and Jeep	E113655-60L	60 L
ATF +3 / +4 - MS-7176 and MS-9602	E113655-1L	12x1 L



Fully Synthetic ATF

Performance level

EuroL ATF 6100

Fully Synthetic - General Motors

DEXRON VI - DEXRON III - DEXRON IIE

Art. no.

Package

E113657-210L 210 L
E113657-60L 60 L
E113657-20L 20 L
E113657-5L 4x5 L
E113657-1L 6x1 L

EuroL ATF 6700

Fully Synthetic - ZF 6HP

BMW 83220144137 & 83220142516, FORD MERCON SP XT-6-QSP (6R60, 6R75, 6R80), Jaguar C2C 8432, ,Hyund Land Rover TYK500050, VW/AUDI G 055005 A1/A2/A6, ZF TE-ML 11, ZF S671 090 252 /3 /5, ZF Lifeguard 6

E113653-60L 60 L
E113653-20L 20 L
E113653-1L 12x1 L

EuroL ATF 7100

Fully Synthetic - Mercedes Benz

MB 236.14 - 236.10 & 236.12 (except 4Matic systems)

E113658-210L 210 L
E113658-60L 60 L
E113658-20L 20 L
E113658-1L 6x1 L

EuroL ATF 7300

Fully Synthetic - Mercedes Benz

MB 236.15 - NOT backward compatible

E113648-60L 60 L
E113648-20L 20 L
E113648-1L 6x1 L

EuroL DCF 1404

Fully Synthetic - VAG Group DSG transmissions

VW TL 521 82

E113669-210L 210 L
E113669-60L 60 L
E113669-1L 12x1 L

EuroL ATF III H

Fully Synthetic - General Motors and Ford after 2004

Ford Mercon V; Dexron III H; Allison C-4 - MB 236.2; Caterpillar TO-2

ZF-TE-ML 11/14

E113666-210L 210 L
E113666-60L 60 L
E113666-20L 20 L
E113666-5L 4x5 L
E113666-1L 6x1 L

Semi-synthetic/Mineral ATF

Performance level

EuroL CVT 1206

Semi-Synthetic - continuously variable transmission oil

Special synthetic CVT-fluid - Nissan NS-1/NS-2 CVT-fluid

NOT FOR HONDA

Art. no.

Package

E113664-60L 60 L
E113664-20L 20 L
E113664-1L 6x1 L

EuroL CVT 1304

Fully-Synthetic - continuously variable transmission oil

Special synthetic CVT-fluid - VW TL 521 80; JATCO CVT; NSK belt CVT; Nissan NS-2; BMW CVT EZL 799 A

NOT FOR CVT UNITS FROM TOYOTA OR FORD

E113663-210L 210 L
E113663-60L 60 L
E113663-20L 20 L
E113663-1L 6x1 L

EuroL ATF III G


Semi-Synthetic - GM/Daimler/Chrysler

GM Dexr III F and G - MB 236.1./236.5/236.9 - MAN 339F / 339 V1 & 339 Z1

Allison C4; Caterpillar TO-2; VOLVO 97335-12 - MERCON M2C 138-CJ, M2C 166-H

Voith G607/H55.6335.34; ZF TE ML 03D/04D/09B/11A/14B/17C; RENK Doromat

E113665-210L 210 L
E113665-60L 60 L
E113665-20L 20 L
E113665-5L 4x5 L
E113665-1L 12x1 L



Semi-synthetic/Mineral ATF

Performance level

Eurol ATF III F

Mineral - Ford/GM

Mercon; GM Dexron III F; MB 236.1/236.5/236.9; Allison C4; CAT TO-2
ZF-TE-ML 11/14 ; MAN 339F-V1-Z1; Voith G 607/ H55.6335.34
MERCON M2C 138-CJ, M2C 166-H

Art. no.

Package

E113659-210L 210 L
E113659-60L 60 L
E113659-20L 20 L
E113659-5L 4x5 L
E113659-1L 12x1 L

Eurol ATF II D

Mineral - Ford/GM

Mercon; GM Dexron IID; MB 236.1-5-7-9 - DENISON HF-0
Allison C4; CAT TO-2; ZF-TE-ML 09/11/14 ; MAN 339F-V1-Z1
Voith G 607/ H55.6335.34; MERCON M2C 138-CJ, M2C 166-H

E113650-210L 210 L
E113650-60L 60 L
E113650-20L 20 L
E113650-5L 4x5 L
E113650-4L 4x4 L
E113650-1L 12x1 L

Eurol ATF 33 F/G

Mineral - Ford, Mazda, Toyota, Volvo and Saab

Ford M2C-33-F/G

E113660-210L 210 L
E113660-60L 60 L
E113660-20L 20 L
E113660-1L 12x1 L

Powersteering

Performance level

Eurol Powersteering fluid A

Mineral - Type A suffix A

GM Powersteering Fluid A (Suffix A) - MB 236.2 - Allison C-3
John Deere JDM J21A - Renk Doromat - MAN 339 type A

Art. no.

Package

E113680-60L 60 L
E113680-20L 20 L
E113680-1L 6x1 L

Eurol Powersteering fluid D

Mineral - Type D

GM Dexron II D - MB 236.2 - Allison C-3

E113685 6x1 L

Eurol Powersteering fluid C

Semi-Synthetic - VW

DIN 51524 part 2; ISO 7308 - BMW 81 22 9 407 758 - Deutz 2940929 - MAN 3289
Audi/VW: VW TL 521 46 (G002 000, G004 000) -Peugeot B 71 2710- Nissan -Fendt X902.011.622
Rolls Royce - Saab -Volvo STD 1273.36 - MB 345.0 - Opel B 040 0070

E113675-210L 210 L
E113675-60L 60 L
E113675-1L 6x1 L

Brakefluids

Performance level

Eurol Brakefluid DOT 3

Brake fluid for application in hydraulic disc- or drum brake systems.

Equilibrium reflux boiling point 245°C, Wet equilibrium reflux boiling point 146°C;
SAE J1703 / ISO 4925

Art. no.

Package

E801300-210L 210 L
E801300-5L 2x5 L
E801300-1L 12x1 L
E801300-500ML 12x500 ML
E801300-250ML 12x250 ML

Eurol Brakefluid DOT 4


Brake fluid for application in hydraulic disc- or drum brake systems of

cars, trucks, motorcycles, scooters and other vehicles

Wet equilibrium reflux boiling point 167°C;

Equilibrium reflux boiling point 267°C; SAE J1703 / ISO 4925

E801400-210L 210 L
E801400-60L 60 L
E801400-5L 2x5 L
E801400-1L 12x1 L
E801400-500ML 12x500 ML
E801400-250ML 12x250 ML



Brakefluids

Performance level

Eurool Brakefluid DOT 4 LV

In cars, trucks, motorcycles, scooters and other vehicles and specially for modern

cars with ABS systems from 2004. SAE J1703/ISO 4925

Wet equilibrium reflux boiling point 179°C; Equilibrium reflux boiling point 270°C;

Art. no.

Package

E801410-60L

60 L

E801410-1L

12x1 L

Eurool Brakefluid DOT 5.1

Brake fluid for application in hydraulic disc- or drum brake systems of vehicles with

ABS / ASR. Wet equilibrium reflux boiling point 190°C, SAE J1703 / ISO 4925;

Equilibrium reflux boiling point 275°C

E801500-60L

60 L

E801500-5L

2x5 L

E801500-1L

12x1 L

E801500-250ML

12x250 ML

Eurool Brakefluid DOT 5 Silicone

Silicone Brake fluid, for old-timers/go-karts/Harley Davidson

Equilibrium reflux boiling point > 260°C Wet equilibrium reflux boiling point > 180 °C

E801550-60L

60 L

E801550-1L

6x1 L

E801550-250ML

12x250 ML

Eurool LHM Plus Fluid Citroën

Mineral green fluid for Citroën brake systems, suspensions and powersteering.

E108670-210L

210 L

E108670-60L

60 L

E108670-1L

6x1 L

Eurool LDS Fluid

Special fluid for Citroën Hydractive 3rd generation Suspension, brake systems

and powersteering.

E113673-210L

210 L

E113673-1L

6x1 L

Eurool MHF 4300

Mineral oil for specific Mercedes levelling systems

MB 343.0, ISO 7308, DIN 52524 deel 3 (HVLP), VW 52146 (G002 000)

E108675-60L

60 L

E108675-20L

20 L

E108675-1L

6x1 L

Eurool MHF 4400

Fullysynthetic oil for specific Mercedes levelling systems

MB 344.0

E108676-60L

60 L

E108676-20L

20 L

E108676-1L

6x1 L

Airco Oils

Performance level

Eurool Airco oil PAG 46

Synthetic polyalkylene glycol lubricant with high levels of miscibility with refrigerant HFC R134a,

Offers excellent lubricity to the compressor

E116001-1L

12x1 L

E116001-250ML

24x250 ML

Eurool Airco oil PAG 100

Synthetic polyalkylene glycol lubricant with high levels of miscibility with refrigerant HFC R134a,

Offers excellent lubricity to the compressor

E116002-1L

12x1 L

E116002-250ML

24x250 ML

Eurool Airco oil PAG 150

Synthetic polyalkylene glycol lubricant with high levels of miscibility with refrigerant HFC R134a,

Offers excellent lubricity to the compressor

E116003-250ML

24x250 ML


Eurool Airco oil POE 100

synthetic polyol esters (POE) formulated for performance in refrigeration and air conditioning


compressors using HFC, CFC or HCFC refrigerants

E116004-250ML


24x250 ML



Grease	Art. no.	Package
Performance level		
Eurol Multi Purpose Grease 2	E901039-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil. NLGI 2 - Temperature range -30/+120°C	E901039-15KG	15 KG
Eurol Multi Purpose Grease 3	E901038-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil. NLGI 3 - Temperature range -30/+120°C	E901038-15KG	15 KG
	E901038-600G	6x600 G
	E901038-400G	12x400 G
Eurol Lithium Complex EP 2 Plus	E901300-180KG	180 KG
Multi Purpose for application under heavy (shock) loads or vibrations both with low and high temperatures.; NLGI: 2/3 - -30/+150°C	E901300-50KG	50 KG
	E901300-20KG	20 KG
	E901300-600G	6x600 G
	E901300-400G	12x400 G
Eurol Blue Star Grease EP 2	E901304-180KG	180 KG
specially for BPW bearings, Multi Purpose for heavy loaded application; NLGI: 2/3 applicable in both wide temperature range and load carrying capacity Blue colour. -30/+150°C	E901304-50KG	50 KG
	E901304-15KG	15 KG
	E901304-400G	12x400 G
Eurol PTFE grease Complex EP 2	E901280-20KG	20 KG
Lithium Complex with PTFE; applicable in both wide temperature range and load carrying capacity NLGI: 2, -30/+150°C	E901280-600G	6x600 G
	E901280-400G	12x400 G
Eurol White Lithium Grease EP 2	E901080-180KG	180 KG
Multi Purpose, NLGI: 2 white -25/+130°C	E901080-600G	6x600 G
Eurol Universal Grease Lithium EP 2	E901030-180KG	180 KG
Multi Purpose for heavy loading NLGI: 2 -25/+130°C	E901030-50KG	50 KG
	E901030-20KG	20 KG
	E901030-600G	6x600 G
	E901030-400G	12x400 G
Eurol Lithium Grease EP 3	E901040-50KG	50 KG
Multi Purpose NLGI: 3 -25/+130°C	E901040-20KG	20 KG
	E901040-600G	6x600 G
	E901040-400G	12x400 G
Eurol Lithium Grease EP 0	E901020-180KG	180 KG
specially developed for trucks and busses which are suited with a central lubrication system. NLGI: 0 -25/+100°C	E901020-50KG	50 KG
	E901020-20KG	20 KG
Eurol Lithium Grease EP 00	E901010-180KG	180 KG
specially developed for a central lubrication system (of Willy Vogel). NLGI: 00, -35/+100°C	E901010-50KG	50 KG
	E901010-20KG	20 KG
Eurol Lithiumvet EP 000	E901005-12,5KG	12,5 KG
Centraal doorsmeervet, semi vloeibaar zeer laag visceus. DIN KP 000 E-30ISO-L-XCBFB 000 Toepassingsbereik -30°C tot +80°C	E901005-5KG	5 KG



Grease	Art. no.	Package
Performance level		
Eurol Calieur Grease EP 2	E901320-50KG	50 KG
Tenacious, lithium calcium grease giving excellent water repelling properties	E901320-20KG	20 KG
for lubricating points aboard of dredging machines, excavators,	E901320-600G	6x600 G
telescope cranes, locks and bridges. NLGI: 2, -20/+150°C	E901320-400G	12x400 G
Eurol Calieur Grease EP 0	E901310-20KG	20 KG
Lithium-Calcium grease NLGI-0; ISO-L-XBCHB 0; DIN KP 0K -20 for Cyclo mowers and Central Lubrication Systems		
Eurol Fifth Wheel Grease (dish)	E901475-50KG	50 KG
Waterproof, strongly sticking and is not washed away by sweet or salt water	E901475-20KG	20 KG
NLGI: 2, Lithium-Calcium, -20/+130°C		
Eurol Copper Grease	E901220-18KG	18 KG
Lubrication of sud bolts, threaded ends, manifolds,	E901220-600G	6x600 G
hub nuts, ovens etc., -30/+1100°C		
Eurol Molybdenum Disulfide Grease	E901070-50KG	50 KG
Multi Purpose with MoS ₂ for joint shafts	E901070-20KG	20 KG
NLGI: 2	E901070-600G	6x600 G
-25/+130°C	E901070-400G	12x400 G
Eurol CS Grease	E901095-50KG	50 KG
High temperature grease, formulated from calcium sulphonate thickener with Extreme Pressure properties	E901095-20KG	20 KG
NLGI-class 1 / 2	E901095-600G	6x600 G
	E901095-400G	12x400 G
Eurol Skala Complex Grease EP 0	E901170-180KG	180 KG
For the lubrication of heavily loaded open gears	E901170-50KG	50 KG
NLGI-class 0/1, DIN KGOG0.5N-30; ISO-L- XCDIB0.5	E901170-18KG	18 KG
Eurol HT Grease EP 2	E901090-50KG	50 KG
high temperature grease on inorganic thickener with Extreme Pressure properties	E901090-20KG	20 KG
NLGI-class 2; DIN KP 2 P-30; ISO-L-XBDGB 2	E901090-400G	12x400 G
Eurol Graphite Grease	E901072-180KG	180 KG
Eurol® Graphite Grease is an easily pumpable lubricating grease	E901072-15KG	15 KG
-30 up to 130; ISO-L-XCCEB 2; DIN KFP 2K -20	E901072-400G	12x400 G
Eurol Ceramic Grease	E901123-600G	6x600 G
anti-seize paste formulated from high molecular oil, ceramic materials, and inorganic binder and additives.		
hub nuts, ovens etc., -20/+1300°C		
Eurol Ball Bearing Grease EP 2	E901210-180KG	180 KG
Multi purpose for roll-, and ball bearings	E901210-50KG	50 KG
NLGI: 2 - -25/+130°C	E901210-20KG	20 KG
	E901210-600G	6x600 G
Eurol White Vaseline acidfree	E901200-20KG	20 KG
Very high refined product of pharmaceutical quality used as a lubricant for packing machines	E901200-600G	6x600 G
and appliances in the food industry, as well as in the cosmetic - and pharmaceutical industry		



Grease

Performance level

Eurol Silicone Grease NLGI 1-2

excellent electric insulation and water repellent properties; American FDA 172.8805; NLGI-class 1-2

Art. no.	Package
E901215-10KG	10 KG
E901215-600G	6x600 G
E901215-400G	12x400 G

Eurol Silicone Grease NLGI 3

excellent electric insulation and water repellent properties; American FDA 172.8805; NLGI-class 3

E901217-100G	24x100 G
--------------	----------

Eurol Leather Grease

Eurol Leather grease is developed for the maintenance of clothing, shoes, jackets, seats etc.

With the pure baseoils and greases it rejects water and dust and has a good absorption in the materials

E901230-120G	120 G
--------------	-------

Undercoatings

Eurol Undercoating Non-Airless

Hazy- Spray equipment, Black, corrosion excluding

Art. no.	Package
E201120-60L	60 L
E201120-1L	12x1 L

Eurol UBC Relacquer black

Relacquer

E201140-1L	12x1 L
------------	--------

Eurol ML Injection Coating

Airless- or Hazy - Spray equipment

Thin brown fluid, inner corrosion excluding

E201200-60L	60 L
E201200-5L	4x5 L

Eurol ML Injection Wax

Airless- or Hazy - Spray equipment

Thin white fluid, inner corrosion excluding coating

E201201-60L	60 L
E201201-5L	4x5 L
E201201-1L	12x1 L

Aerosols

Performance level

Eurol Ceramic Spray

Eurol Copper Grease Spray

Eurol Zinc Spray

Eurol Skala05 Lube Spray

Eurol Penetrating Oil Spray

Eurol Chain Spray PTFE

Eurol Silicone Protect Spray

Eurol Multi Lube MD 50 Spray

Eurol Open Gear Spray

Eurol Vaseline Spray

Eurol ML Injection Spray

Eurol Moto Leather Spray

Eurol White Grease Spray with PTFE

Eurol Super Brakecleaner Spray


Eurol PTFE Lube Spray

Eurol Contact Cleaner Spray


Eurol Undercoating Spray

Eurol Cockpit Cleaner Spray


Art. no.	Package
E701123	12x400 ML
E701130	12x400 ML
E701140	12x400 ML
E701170	12x400 ML
E701300	12x400 ML
E701310	12x400 ML
E701320	12x400 ML
E701325	12x400 ML
E701330	12x400 ML
E701380	12x400 ML
E701391	12x500 ML
E701400	12x400 ML
E701420	12x400 ML
E701445	12x500 ML
E701460	12x400 ML
E701465	12x400 ML
E701475	12x500 ML
E701485	12x400 ML



Battery and Diesel Fluids	Art. no.	Package
Eurol Battery Acid 37,5 %, SG = 1,28	E301300-10L E301300-1L	10 L 4x1 L
Eurol Demineralised Water	E301190-20L E301190-5L E301190-1L	20 L 4x5 L 12x1 L
Eurol Diesel Test Fluid Calibration fluid for fuelpumps and injectors of diesel engines. ISO 4113, SAE J967D Robert Bosch: VS 15665, Change every year.	E802480-60L E802480-60L E802480-5L	60 L 20 L 4x5 L
Handcleaner	Art. no.	Package
Eurol Handcleaner Whitestar Fresh handcleaner with lemon fragrance, without solvents > 90% Bio-degradable	E601440-60L E601440-4,5L E601440-600ML	60 L 4x4,5 L 12x600 ML
Eurol Handcleaner Yellowstar Fresh handcleaner with Terpenes > 90% Bio-degradable	E601430-60L E601430-4,5L E601430-600ML	60 L 4x4,5 L 12x600 ML
Eurol Handcleaner Redstar Cleaning of very dirty hands. Garage soap with effective granule.	E601410-60L E601410-4,5L E601410-600ML	60 L 4x4,5 L 12x600 ML
Eurol Hand Protect Lotion To be used on clean and dry hands. Based on Aloë Vera and Jojoba oil	E601450	12x250 ML
Dispensers for handcleaner	Art. no.	Package
Eurol Wall Bracket for 4,5 L PET	E400770	Piece
Eurol Dispenser for 4,5 L PET	E400771	Piece
Degreasers	Art. no.	Package
Eurol Degreaser Plus HF Red, alifatical cleaning fluid Heavy working degreaser	E302110-210L E302110-60L E302110-5L	210 L 60 L 2x5 L
Eurol Degreaser Bio HF With biodegradable emulsifier Heavy working degreaser	E302140-210L E302140-60L E302140-5L	210 L 60 L 2x5 L
Eurol Degreaser Protect HF Red, alifatical cleaning fluid corrosion- and skin protecting	E302120-210L E302120-60L E302120-5L	210 L 60 L 2x5 L



Degreasers	Art. no.	Package
Eurol Cleaning Liquid HF	E302100-210L	210 L
Red, alifatical cleaning fluid, corrosion- and skin protecting	E302100-60L	60 L
Specially for ODR-equipment with side connector for barrels	E302100-20L	20 L
Cleaning fluids	Art. no.	Package
Eurol Power Cleaner Bio 2000	E602180-20L	20 L
Strongly concentrated cleaner, Bio-degradable	E602180-5L	4x5 L
Mixing ratio possible upto 1:25	E602180-1L	6x1 L
Eurol Shampoo Wash & Shine	E602100-20L	20 L
Concentrated biodegradable shampoo with natural wax to creates a protective cover, for hand use	E602100-5L	4x5 L
	E602100-500ML	12x500 ML
Eurol Car & Truck Cleaner	E602181-210L	210 L
Blank, Shampoo for high-pressure cleaner	E602181-20L	20 L
Eurol Floor Cleaner	E602190-20L	20 L
Fast and suitable cleaning of floors, 1:10 upto 1:50		
Eurol Oxy Cleaner	E602340-10L	10 L
Powerful cleaning product for heavy contamination, 1:1 up to 1:10		
Eurol Insect Remover	E602220-5L	4x5 L
Highly concentrated biodegradable cleaning product for fly's on the automotive body. Mixing ratio 1:5 upto 1:25	E602225-500ML	12x500 ML
Eurol Brakecleaner Special	E302520-210L	210 L
Fast cleaning of brake disc and drum brake	E302520-60L	60 L
	E302520-20L	20 L
	E302520-5L	2x5 L
Eurol Josol Cleaner	E602160-10L	10 L
cleaning of vegetable pollution of fridges, swimming pool and floors, mixing ratio. 1:5 upto 1:25	E602160-5L	4x5 L
Eurol Rim Cleaner	E602210-20L	20 L
Heavy Aluminium cleaner	E602210-5L	4x5 L
	E602215-500ML	12x500 ML
Eurol Delec Liquid 70-X	E302150-210L	210 L
Emulsifiable liquid, safe for rubber, metal and plastics. Rinse with water or blow dry with air.	E302150-60L	60 L
Removal of grease, oil, paint, tar and coatings.	E302150-20L	20 L
Eurol Delec Liquid 1080 ODR	E302170-210L	210 L
Colourless and aromat-free. Degreaser of surfaces and parts. Removal of oil, grease, dust, dirt and small metal parts.	E302170-60L	60 L
	E302170-20L	20 L
Eurol Thinner 5K	E303110-60L	60 L
Day Price/Euro	E303110-5L	4x5 L
	E303110-1L	12x1 L



Cleaning fluids

	Art. no.	Package
Eurol White Spirit Day Price/Euro	E303160-1L	12x1 L
Eurol Industrial Spirit 100/140 Day Price/Euro	E303100-210L E303100-60L E303100-5L	210 L 60 L 4x5 L
Eurol Cleaning Spirit 100/140 Day Price/Euro	E303101-1L	12x1 L

Absorption products


	Art. no.	Package
Eurol Super Floor Absorbent	E401310	10 KG
Eurol Oil Absorption Cloths 100 pcs	E400250	Box
Eurol Tricot Cloths (on roll)	E620200	Box
Eurol Tricot Cloths 100 pcs	E600200	Box

Cleaning equipment


	Art. no.	Package
Eurol ODR -De Luxe- Part cleaning equipment, suitable for 200L barrels with side connector. Dimensions: 115 x 67 x 80 cm.	E400000	Piece
Eurol Dripping Tray for ODR -De Luxe- Dimensions: 120 x 120 x 14 cm	E400018	Piece
Eurol ODR -Economic- Part cleaning equipment, suitable for 60L barrels with side connector. Dimensions: 65 x 50 x 80 cm.	E400050	Piece
Eurol Dripping Tray for ODR -De Luxe- Dimensions: 120 x 60 x 10 cm	E400019	Piece
Eurol Fluid Pump for ODR	E400062	Piece
Eurol Cleaning Brush for ODR	E400040	Piece


Various Products

	Art. no.	Package
Barrel wrench Plastic	E400408	Piece
Barrel oil pump Metal	E400318	Piece
Barrel pump Plastic (Viton)	E400333	Piece
Grease dispenser for 400G	E400344	Piece
Grease dispenser for 500G	E400345	Piece



Various Products	Art. no.	Package
PVC drumtap 3/4" connection	E400400	Piece
Sette drumtap 3/4" connection	E400420	Piece
Eurol captap 51mm 10/5	E400166	Piece
Eurol captap 61mm 30/25/20	E400165	Piece
Koelvloeistof	Art. no.	Package
Eurol Coolant -26° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504100-210L	210 L
	E504100-60L	60 L
	E504100-20L	20 L
	E504100-5L	4x5 L
	E504100-1L	12x1 L
Eurol Coolant -36° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504105-210L	210 L
	E504105-60L	60 L
	E504105-20L	20 L
	E504105-5L	4x5 L
	E504105-1L	12x1 L
Eurol Coolant GLX -26° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504145-210L	210 L
	E504145-60L	60 L
	E504145-20L	20 L
Eurol Coolant GLX -36° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504144-210L	210 L
	E504144-60L	60 L
	E504144-20L	20 L
	E504144-5L	4x5 L
	E504144-1L	12x1 L
Eurol Coolant XL Yellow -36° C miscible with all commercial coolants MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E504140-210L	210 L
	E504140-60L	60 L
	E504140-20L	20 L
	E504140-5L	4x5 L
	E504140-1L	12x1 L
Eurol Coolant GLX PP -36° C TL-VW 774 G (G12++) For Volkswagens from year 09-2006 as well as all VW Phaeton/Touareg and Audi A8 / Q7.	E504148-210L	210 L
	E504148-60L	60 L
	E504148-20L	20 L
	E504148-5L	4x5 L
	E504148-1L	12x1 L
Eurol Coolant GLS 13 -36° C VW-TL 774 J (G13)	E504149-210L	210 L
	E504149-60L	60 L
	E504149-5L	4x5 L
	E504149-1L	12x1 L



Antifreeze	Art. no.	Package
Eurol Antifreeze	E503150-210L	210 L
Mono-ethylene-glycol base	E503150-60L	60 L
free of nitrate, amine, borate and phosphate	E503150-20L	20 L
1:1 = -36° C, 2:3 = -25° C, 1:2 = -18° C	E503150-5L	4x5 L
	E503150-1L	12x1 L
Eurol Antifreeze GLX	E503152-210L	210 L
complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E503152-60L	60 L
MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D	E503152-20L	20 L
Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA	E503152-5L	4x5 L
Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E503152-1L	12x1 L
Eurol Diesel Flow Improver	E802485-210L	210 L
Lowers the Freezing point of Diesel fuel	E802485-60L	60 L
with 1:1000 10°C extra protection	E802485-5L	2x5 L
Eurol Brake Defroster	E502610-60L	60 L
Iso-propylalcohol	E502610-20L	20 L
	E502610-5L	4x5 L
Screenwash	Art. no.	Package
Eurol Screenwash Concentrate Lemon	E502260-210L	210 L
Safe for polycarbonate, with	E502260-60L	60 L
fresh lemon fragrance	E502260-20L	20 L
	E502260-5L	4x5 L
	E502260-1L	12x1 L
	E502260-500ML	24x500 ml
	E502260-250ML	24x250 ml
		
Screenwash	Art. no.	Package
Eurol Very Active De-Icer	E502520	12x500 ml
Windshield de-icer spray		
Eurol Screenwash Lemon Ready for use	E502265-210L	210 L
Safe for polycarbonate, with	E502265-60L	60 L
fresh lemon fragrance, protects to -22° C	E502265-20L	20 L
	E502265-5L	4x5 L
	E502265-2L	6x2 L
Eurol Summerwash Ready to Use	E501270-5L	4x5 L
Pink Summerwash	E501270-2L	6x2 L
Eurol Summerwash Concentrate	E501268-250ML	24x250ml
Pink Summerwash for 2.5 L screenwash		