

IAS BVBA MOTORCYCLE RANGE



Motorcycle oil 4T	Art. no.	Package
Performance level Eurol Sportbike 5W-40 SG JASO MA 2 Fully Synthetic - JASO MA for race, tour and cross application.	E100102-210L E100102-60L E100102-1L	210 L 60 L 12x1 L
Eurol Sportbike 5W-50 SL JASO MA 2 Fully Synthetic - JASO MA for race, tour and cross application.	E100081-210L E100081-60L E100081-1L	210 L 60 L 12x1 L
Eurol Sportbike 10W-40 SH JASO MA 2 Fully Synthetic - JASO MA for race, tour and cross application.	E100070-210L E100070-60L E100070-1L	60 L 4x4 L 12x1 L
Eurol Sportbike 10W-50 SH JASO MA 2 Fully Synthetic - JASO MA for race, tour and cross application.	E100184-60L E100184-4L	60 L 4x4 L
Eurol Sportbike 10W-60 SL JASO MA 2 Fully Synthetic - JASO MA for race, tour and cross application.	E100082-210L E100082-60L E100082-1L	210 L 60 L 12x1 L
Eurol Sportbike 15W-50 SH JASO MA 2 Fully Synthetic - JASO MA for race, tour and cross application.	E100183-210L E100183-60L E100183-1L	210 L 60 L 12x1 L
Eurol Motorcycle 10W-40 SG JASO MA 2 Semi-Synthetic - JASO MA for race, tour and cross application. offers excellent protection to gearboxes and wet disc clutches.	E100097-210L E100097-60L E100097-4L E100097-1L	210 L 60 L 4x4 L 12x1 L
Eurol 4T Road 10W-40	E100098-1L	12x1 L
Eurol Synra 20W-50 SH JASO MA 2 Semi-Synthetic - JASO MA - Ducati engines	E100049-60L E100049-4L	60 L 4x4 L
Eurol Sport Touring 10W-40 SG JASO MA 2 Mineral - JASO MA for race, tour and cross application. offers excellent protection to gearboxes and wet disc clutches.	E100011-210L E100011-60L E100011-20L E100011-4L E100011-1L	210 L 60 L 20 L 4x4 L 12x1 L
Eurol Sport Touring 20W-50 SG JASO MA 2 Mineral - JASO MA offers excellent protection to gearboxes and wet disc clutches.	E100043-210L E100043-60L E100043-4L E100043-1L	210 L 60 L 4x4 L 12x1 L

IAS BVBA MOTORCYCLE RANGE



Motorcycle Harley Davidson®	Art. no.	Package
<i>Performance level</i>		
Eurol Harley Twinlube-3 20W-50 Synthetic motoroil for Harley Davidson V-Twin engines Also suitable for gears/clutches of Harley-engines after 2000.	E100375-60L E100375-4L E100375-1L	60 L 4x4 L 12x1 L
Eurol Harley 20W-50 SG/CD Mineral multi-grade motorcycleoil specially developed for Harley Davidson engines	E100390-210L E100390-60L E100390-4L E100390-1L	210 L 60 L 4x4 L 12x1 L
Eurol Harley 20W-60 SG/CD Mineral multi-grade motorcycleoil specially developed for Harley Davidson engines	E100380-210L E100380-4L	60 L 4x4 L
Eurol Harley 50 SF/CC Mineral mono-grade motorcycleoil specially developed for Harley Davidson engines	E100360-210L E100360-60L E100360-4L E100360-1L	210 L 60 L 4x4 L 12x1 L
Eurol Harley 60 SF/CC Mineral mono-grade motorcycleoil specially developed for Harley Davidson engines	E100370-210L E100370-60L E100370-4L	210 L 60 L 4x4 L
Eurol HD Lube for Primary Chaincase specially developed for primary chain cases and diaphragm-clutch: models '84 and later FL, FLT, FX, FXR	E110027-210L E110027-60L E110027-4L E110027-1L	210 L 60 L 4x4 L 12x1 L
Eurol HD Lube for Chain and Gearbox recommended for the gears of Harley D. motorcycles and other motorcycles where API GL5 is not prescribed	E110023-210L E110023-60L E110023-1L	210 L 60 L 12x1 L
Synthetic two-stroke oil 2T	Art. no.	Package
<i>Performance level</i>		
Eurol TTX BIO Fully Synthetic Fully Synthetic - Low Smoke - Bio-degradable for pre-mix in oil-injection systems. NMMA: TC-W3 CEC-L-33-T-82: 90% 21days - API TC/TC+ - Husqvarna 266	E128435-60L E128435-1L	60 L 12x1 L
Eurol Super 2T Formax Fully Synthetic - Low Smoke JASO FD - ISO-L-EGD - API TC+ Piaggio Hexagon - TISI - Husqvama 266/Chainsaw	E128433-210L E128433-60L E128433-20L E128433-1L	210 L 60 L 20 L 12x1 L
Eurol TTX ProScoot Semi-Synthetic - Low Smoke for pre-mix in oil-injection systems, 2-stroke engines (50 cc) JASO FC - ISO-L-EGC - API TC	E128428-210L E128428-60L E128428-20L E128428-1L	210 L 60 L 20 L 12x1 L

IAS BVBA MOTORCYCLE RANGE



Synthetic two-stroke oil 2T

Performance level

Eurol Supreme Synthetic

Semi-Synthetic - Low Smoke

for pre-mix in oil-injection systems.

JASO FC - ISO-L-EGD - API TC+ Piaggio SI - TISI

Art. no.

Package

E128425-210L	210 L
E128425-60L	60 L
E128425-20L	20 L
E128425-5L	4x5 L
E128425-1L	12x1 L

Eurol SX Two-stroke oil

for small air- and water-cooled 2-stroke engines (upto 50 cc)

with/without injection-systems. JASO FB; ISO-L-EGB;

E128400-210L	210 L
E128400-60L	60 L
E128400-20L	20 L
E128400-1L	12x1 L

Eurol Spartamet SX Eurol Spartamet TTX

E126205-100ML	12x100ML
E126206-50ML	24x50 ML

Racing oil 2T

Performance level

Eurol SR 2000 Road Racing

Fully Synthetic - SAE 50 - Racing oil

API TC+ - ROC/Yamaha - not for 2 stroke injection. For tuned racing motorcycles and karts.

E128906-1L	6x1 L
------------	-------

Eurol RTC Motocross oil

Semi-Synthetic - SAE 50 - Racing oil

API TC+ - not for 2-stroke injection - for tuned 2-stroke cross motorcycles.

E128900-1L	6x1 L
------------	-------

Eurol Racing RX

Semi-Synthetic - Ester based - Racing oil

for speedway engines, scale model planes, karts and 2 and 4-stroke race engines.

E128908-1L	6x1 L
------------	-------

Eurol Racing 1 Ricinus

Vegetable - Racing oil

for speedway engines, scale model planes, karts and 2 and 4-stroke race engines.

E128910-60L	60 L
E128910-1L	6x1 L

Racing oil 4T

Performance level

Eurol Radiax 20W50

Synthetic - for heavy duty race engines

Suitable for methanol fuel

E100922-60L	60 L
-------------	------

Eurol Radiax 60

Synthetic - for heavy duty race engines

Suitable for methanol fuel

E100910-60L	60 L
-------------	------

Eurol Radiax 70

Synthetic - for heavy duty race engines

Suitable for methanol fuel

E100920-60L	60 L
E100920-1L	12x1L

IAS BVBA MOTORCYCLE RANGE



Synthetic Transmission oil

Performance level

Eurol Fultrax 75W-140 LS

Fully Synthetic - Limited Slip Differential

API: GL5; Scania STO 1:0, ZF-TE-ML 05D, 12D, 16G, "LSD"

Art. no.	Package
E110077-210L	210 L
E110077-60L	60 L
E110077-20L	20 L
E110077-1L	6x1 L

Eurol Fultrasyn 75W-90 GL 3/4/5

Fully Synthetic - Total Drive Line

API: GL3/4/5; MT 1; MAN 341/342/3343 ; SCANIA STO 1:0 BOX

MIL-L-2105 B/C/D-PRF 2105E; VOLVO 97310; DAF

ZF-TE-ML 01/02B/05B/07A/08A/012/16F/17B; MB 235.11

E110076-210L	210 L
E110076-60L	60 L
E110076-20L	20 L
E110076-5L	4x5 L
E110076-1L	12x1 L

Eurol Transyn 75W-90 GL 4/5

Semi-Synthetic - Total Drive Line

API: GL3/4/5; MT 1; MAN 341/342/3343 ; SCANIA STO 1:0 BOX

MIL-L-2105 B/C/D-PRF 2105E; VOLVO 97310; DAF ZF TE-ML 02

ZF-TE-ML 01/02B/05B/07A/08A

E110075-210L	210 L
E110075-60L	60 L
E110075-20L	20 L
E110075-5L	4x5 L
E110075-1L	12x1 L

Eurol Transfluid STF

Semi-Synthetic - Automatic - Manual transmission

Problematic manual transmissions and electronically controlled automatic transmissions.

API GL4, Caterpillar TO-2

E113667-210L	210 L
E113667-60L	60 L
E113667-20L	20 L
E113667-5L	4x5 L
E113667-4L	4x4 L
E113667-1L	12x1 L

Transmission oil GL 5

Performance level

Eurol MTF 75W-80 GL-5

Fully-Synthetic - Transmission and final drive

MIL-L-2105-D, VOLVO 97308, FORD M2C200-C/C2/C3, VW 501 50 (G 005 000 05 / G005 000 / G 001

VW TL 521 71 (G 052 171 A1/A2)

Art. no.	Package
E110080-60L	60 L
E110080-20L	20 L
E110080-1L	12x1 L

Eurol MTF 75W-85 GL-5, incl Limited Slip

Fully-Synthetic - Transmission and final drive

MIL-L-2105-D, MB 235,7 / 235,15, FIAT/ALFA ROMEO/LANCIA 9,55550-MX3/MZ1

VW TL 521 45-X (G 052 145 A1), VW TL 521 90 (G052 190 A2/G055 190 A2), ZF TE-ML 18

E110081-60L	60 L
E110081-20L	20 L
E110081-1L	12x1 L

Eurol HPG 80W-90 TDL GL3/4/5

API: GL3/4/5; MT 1; MAN 341/342/3341 - ZF-TE-ML 01/02/05/07/08

MIL-L-2105 B/C/D/E - MIL-PRF 2105E; VOLVO 97310 - SCANIA STO 1:0 and 2:0

E110627-210L	210 L
E110627-60L	60 L
E110627-20L	20 L
E110627-5L	4x5 L

Eurol HPG SAE 80W-90 GL5

API GL-5 - MIL-L-2105D - Mack GO-G

ZF TE-ML 05A,12A - MAN 342N - MAN 342 typ M-1

E110630-210L	210 L
E110630-60L	60 L
E110630-20L	20 L
E110630-5L	4x5 L
E110630-1L	12x1 L

IAS BVBA MOTORCYCLE RANGE



Transmission oil GL 5

Performance level

Euroil HPG SAE 85W-90 GL5

API GL-5 - MIL-L-2105D - MB 235.0 -Volvo 97310

RVI 03-80-4003 - MAN 342N-342 typ M-1 - ZF TE-ML 05A, 07A, 08,16F, 17B

Art. no.	Package
E110635-210L	210 L
E110635-60L	60 L
E110635-20L	20 L
E110635-5L	4x5 L
E110635-1L	12x1 L

Euroil HPG SAE 80W-90 GL5 LSD

API GL-5 - MIL-L-2105D - ZF TE-ML 05C/12C/16E - MT-1

E110634-210L	210 L
E110634-60L	60 L
E110634-20L	20 L
E110634-5L	4x5 L

Euroil HPG EP SAE 85W-140 GL5

API GL-5 - MIL-L-2105D - Mack GO-G - ZF TE-ML 05A,12A

MAN 342N - MAN 342 typ M-1

E110640-210L	210 L
E110640-60L	60 L
E110640-20L	20 L
E110640-5L	4x5 L

Euroil HPG EP SAE 85W-140 GL5 LSD

API GL-5 - MIL-L-2105D - ZF TE-ML 05C/12C/16E - MT-1 - Case MS 1317

E110641-20L	20 L
E110641-5L	4x5 L

Euroil HPG 75W-80 GL5 CP

API GL 5 - MIL-L-2105D - PSA B71 2330 - Citroën, Peugeot, Renault, Volvo.

E110072-210L	210 L
E110072-60L	60 L
E110072-20L	20 L
E110072-5L	4x5 L
E110072-1L	12x1 L

Transmission oil GL 4

Performance level

Euroil MTF 75W GL-4

Semi-Synthetic - Transmission and final drive

VW TL 521 78 (G 052 178 A2), VW TL 525 12 (G 052 512 A2)

VW TL 726 (G 052 726 A2 / G 055 726 A2 / G 060 726 A2/ G 070 726 A2)

E110073-60L	60 L
E110073-20L	20 L
E110073-1L	12x1 L

Euroil HPX ZM 75W-80 GL-4

Semi-Synthetic - Transmission and final drive

API: GL-4; DAF; Volvo 97307; MB 235.4; ZF-TE-ML 02D

MAN 341 TL / Z-3; RENAULT; EATON LD

E110074-210L	210 L
E110074-60L	60 L
E110074-20L	20 L
E110074-5L	4x5 L

Euroil MPG SAE 80W GL4

API: GL-4 - MIL-L-2105 - MB 235.1 - MAN 341N / Z-1

E110590-210L	210 L
E110590-60L	60 L
E110590-20L	20 L
E110590-5L	4x5 L

Euroil MPG SAE 80W-90 GL4

API: GL-4 - MIL-L-2105

E110605-210L	210 L
E110605-60L	60 L
E110605-20L	20 L
E110605-5L	4x5 L
E110605-4L	4x4 L
E110605-1L	12x1 L

IAS BVBA MOTORCYCLE RANGE



Transmission oil GL 4

Performance level

Eurol MPG SAE 85W-90 GL4

API: GL-4 - MIL-L-2105

Art. no.	Package
E110600-210L	210 L
E110600-60L	60 L
E110600-5L	4x5 L

Eurol MPG SAE 85W-140 GL4

API: GL-4 - MIL-L-2105

E110610-210L	210 L
E110610-60L	60 L
E110610-20L	20 L
E110610-5L	4x5 L
E110610-4L	4x4 L

Eurol Eurolube SAE 80W GL1

NON EP

E110500-60L	60 L
E110500-20L	20 L
E110500-1L	6x1 L
E110500-500ML	12x500 ML
E110500-250ML	12x250 ML

Brakefluids

Performance level

Eurol Brakefluid DOT 3

Brake fluid for application in hydraulic disc- or drum brake systems.

Equilibrium reflux boiling point 245°C, Wet equilibrium reflux boiling point 146°C;

SAE J1703 / ISO 4925

Art. no.	Package
E801300-210L	210 L
E801300-5L	2x5 L
E801300-1L	12x1 L
E801300-500ML	12x500 ML
E801300-250ML	12x250 ML

Eurol Brakefluid DOT 4

Brake fluid for application in hydraulic disc- or drum brake systems of cars, trucks, motorcycles, scooters and other vehicles

Wet equilibrium reflux boiling point 167°C;

Equilibrium reflux boiling point 267°C; SAE J1703 / ISO 4925

E801400-210L	210 L
E801400-60L	60 L
E801400-5L	2x5 L
E801400-1L	12x1 L
E801400-500ML	12x500 ML
E801400-250ML	12x250 ML

Eurol Brakefluid DOT 4 LV

In cars, trucks, motorcycles, scooters and other vehicles and specially for modern

cars with ABS systems from 2004. SAE J1703/ISO 4925

Wet equilibrium reflux boiling point 179°C; Equilibrium reflux boiling point 270°C;

E801410-60L	60 L
E801410-1L	12x1 L

Eurol Brakefluid DOT 5.1

Brake fluid for application in hydraulic disc- or drum brake systems of vehicles with

ABS / ASR. Wet equilibrium reflux boiling point 190°C, SAE J1703 / ISO 4925;

Equilibrium reflux boiling point 275°C

E801500-60L	60 L
E801500-5L	2x5 L
E801500-1L	12x1 L
E801500-250ML	12x250 ML

Eurol Brakefluid DOT 5 Silicone

Silicone Brake fluid, for old-timers/go-karts/Harley Davidson

Equilibrium reflux boiling point > 260°C Wet equilibrium reflux boiling point > 180 °C

E801550-60L	60 L
E801550-1L	6x1 L
E801550-250ML	12x250 ML

IAS BVBA MOTORCYCLE RANGE



Grease	Art. no.	Package
Performance level		
Eurol Multi Purpose Grease 2	E901039-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil.	E901039-15KG	15 KG
NLGI 2 - Temperature range -30/+120°C		
Eurol Multi Purpose Grease 3	E901038-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil.	E901038-15KG	15 KG
NLGI 3 - Temperature range -30/+120°C	E901038-600G	6x600 G
	E901038-400G	12x400 G
Eurol Lithium Complex EP 2 Plus	E901300-180KG	180 KG
Multi Purpose for application under heavy (shock) loads or vibrations	E901300-50KG	50 KG
both with low and high temperatures.; NLGI: 2/3 - -30/+150°C	E901300-20KG	20 KG
	E901300-600G	6x600 G
	E901300-400G	12x400 G
Eurol PTFE grease Complex EP 2	E901280-20KG	20 KG
Lithium Complex with PTFE; applicable in both wide temperature range and load carrying capacity	E901280-600G	6x600 G
NLGI: 2, -30/+150°C	E901280-400G	12x400 G
Eurol White Lithium Grease EP 2	E901080-180KG	180 KG
Multi Purpose, NLGI: 2 white -25/+130°C	E901080-600G	6x600 G
Eurol Universal Grease Lithium EP 2	E901030-180KG	180 KG
Multi Purpose for heavy loading	E901030-50KG	50 KG
NLGI: 2	E901030-20KG	20 KG
-25/+130°C	E901030-600G	6x600 G
	E901030-400G	12x400 G
Eurol Lithium Grease EP 3	E901040-50KG	50 KG
Multi Purpose	E901040-20KG	20 KG
NLGI: 3	E901040-600G	6x600 G
-25/+130°C	E901040-400G	12x400 G
Eurol Copper Grease	E901220-18KG	18 KG
Lubrication of sud bolts, threaded ends, manifolds,	E901220-600G	6x600 G
hub nuts, ovens etc., -30/+1100°C		
Eurol Molybdenum Disulfide Grease	E901070-50KG	50 KG
Multi Purpose with MoS ₂ for joint shafts	E901070-20KG	20 KG
NLGI: 2	E901070-600G	6x600 G
-25/+130°C	E901070-400G	12x400 G
Eurol Graphite Grease	E901072-180KG	180 KG
Eurol® Graphite Grease is an easily pumpable lubricating grease	E901072-15KG	15 KG
-30 up to 130; ISO-L-XCCEB 2; DIN KFP 2K -20	E901072-400G	12x400 G
Eurol Ceramic Grease	E901123-600G	6x600 G
anti-seize paste formulated from high molecular oil, ceramic materials, and inorganic binder and additives.		
hub nuts, ovens etc., -20/+1300°C		

IAS BVBA MOTORCYCLE RANGE



Grease	Art. no.	Package
<i>Performance level</i>		
Eurol Ball Bearing Grease EP 2	E901210-180KG	180 KG
Multi purpose for roll-, and ball bearings	E901210-50KG	50 KG
NLGI: 2 - -25/+130°C	E901210-20KG	20 KG
	E901210-600G	6x600 G
Eurol White Vaseline acidfree	E901200-20KG	20 KG
Very high refined product of pharmaceutical quality used as a lubricant for packing machines and appliances in the food industry, as well as in the cosmetic - and pharmaceutical industry	E901200-600G	6x600 G
Eurol Leather Grease	E901230-120G	120 G
Eurol Leather grease is developed for the maintenance of clothing, shoes, jackets, seats etc. With the pure baseoils and greases it rejects water and dust and has a good absorbtion in the materials		

Aerosols	Art. no.	Package
<i>Performance level</i>		
Eurol Ceramic Spray	E701123	12x400 ML
Eurol Copper Grease Spray	E701130	12x400 ML
Eurol Zinc Spray	E701140	12x400 ML
Eurol Skala05 Lube Spray	E701170	12x400 ML
Eurol Penetrating Oil Spray	E701300	12x400 ML
Eurol Chain Spray PTFE	E701310	12x400 ML
Eurol Silicone Protect Spray	E701320	12x400 ML
Eurol Multi Lube MD 50 Spray	E701325	12x400 ML
Eurol Open Gear Spray	E701330	12x400 ML
Eurol Vaseline Spray	E701380	12x400 ML
Eurol ML Injection Spray	E701391	12x500 ML
Eurol Moto Leather Spray	E701400	12x400 ML
Eurol White Grease Spray with PTFE	E701420	12x400 ML
Eurol Super Brakecleaner Spray	E701445	12x500 ML
Eurol PTFE Lube Spray	E701460	12x400 ML
Eurol Contact Cleaner Spray	E701465	12x400 ML
Eurol Undercoating Spray	E701475	12x500 ML
Eurol Cockpit Cleaner Spray	E701485	12x400 ML

Battery and Diesel Fluids	Art. no.	Package
Eurol Battery Acid	E301300-10L	10 L
37,5 %, SG = 1,28	E301300-1L	4x1 L
Eurol Demineralised Water	E301190-20L	20 L
	E301190-5L	4x5 L
	E301190-1L	12x1 L
Eurol Diesel Test Fluid	E802480-60L	60 L
Calibration fluid for fuelpumps and injectors of diesel engines.	E802480-60L	20 L
ISO 4113, SAE J967D Robert Bosch: VS 15665, Change every year.	E802480-5L	4x5 L



Handcleaner	Art. no.	Package
Eurol Handcleaner Whitestar Fresh handcleaner with lemon fragrance, without solvents > 90% Bio-degradable	E601440-60L E601440-4,5L E601440-600ML	60 L 4x4,5 L 12x600 ML
Eurol Handcleaner Yellowstar Fresh handcleaner with Terpenes > 90% Bio-degradable	E601430-60L E601430-4,5L E601430-600ML	60 L 4x4,5 L 12x600 ML
Eurol Handcleaner Redstar Cleaning of very dirty hands. Garage soap with effective granule.	E601410-60L E601410-4,5L E601410-600ML	60 L 4x4,5 L 12x600 ML
Eurol Hand Protect Lotion To be used on clean and dry hands. Based on Aloë Vera and Jojoba oil	E601450	12x250 ML
Dispensers for handcleaner	Art. no.	Package
Eurol Wall Bracket for 4,5 L PET	E400770	Piece
Eurol Dispenser for 4,5 L PET	E400771	Piece
Degreasers	Art. no.	Package
Eurol Degreaser Plus HF Red, alifatical cleaning fluid Heavy working degreaser	E302110-210L E302110-60L E302110-20L E302110-5L	210 L 60 L 2x5 L
Eurol Degreaser Bio HF With biodegradable emulsifier Heavy working degreaser	E302140-210L E302140-60L E302140-5L	210 L 60 L 2x5 L
Eurol Degreaser Protect HF Red, alifatical cleaning fluid corrosion- and skin protecting	E302120-210L E302120-60L	210 L 60 L 2x5 L
Eurol Cleaning Liquid HF Red, alifatical cleaning fluid, corrosion- and skin protecting Specially for ODR-equipment with side connector for barrels	E302100-210L E302100-60L E302100-20L	210 L 60 L 20 L
Cleaning fluids	Art. no.	Package
Eurol Power Cleaner Bio 2000 Strongly concentrated cleaner, Bio-degradable Mixing ratio possible upto 1:25	E602180-20L E602180-5L E602180-1L	20 L 4x5 L 6x1 L
Eurol Shampoo Wash & Shine Concentrated biodegradable shampoo with natural wax to creates a protective cover, for hand use	E602100-20L E602100-5L E602100-500ML	20 L 4x5 L 12x500 ML

IAS BVBA MOTORCYCLE RANGE



Cleaning fluids	Art. no.	Package
Eurol Car & Truck Cleaner Blank, Shampoo for high-pressure cleaner	E602181-210L E602181-20L	210 L 20 L
Eurol Floor Cleaner Fast and suitable cleaning of floors, 1:10 upto 1:50	E602190-20L	20 L
Eurol Oxy Cleaner Powerful cleaning product for heavy contamination, 1:1 up to 1:10	E602340-10L	10 L
Eurol Insect Remover Highly concentrated biodegradable cleaning product for fly's on the automotive body. Mixing ratio 1:5	E602220-5L E602225-500ML	4x5 L 12x500 ML
Eurol Brakecleaner Special Fast cleaning of brake disc and drum brake	E302520-210L E302520-60L E302520-20L E302520-5L	210 L 60 L 20 L 2x5 L
Eurol Josol Cleaner cleaning of vegetable pollution of fridges, swimming pool and floors, mixing ratio. 1:5 upto 1:25	E602160-10L E602160-5L	10 L 4x5 L
Eurol Rim Cleaner Heavy Aluminium cleaner	E602210-20L E602210-5L E602215-500ML	20 L 4x5 L 12x500 ML
Eurol Delec Liquid 70-X Emulsifiable liquid, safe for rubber, metal and plastics. Rinse with water or blow dry with air. Removal of grease, oil, paint, tar and coatings.	E302150-210L E302150-60L E302150-20L	210 L 60 L 20 L
Eurol Delec Liquid 1080 ODR Colourless and aromat-free. Degreaser of surfaces and parts. Removal of oil, grease, dust, dirt and sm metal parts.	E302170-210L E302170-60L E302170-20L	210 L 60 L 20 L
Eurol Thinner 5K Day Price/Euro	E303110-60L E303110-5L E303110-1L	60 L 4x5 L 12x1 L
Eurol White Spirit Day Price/Euro	E303160-1L	12x1 L
Eurol Industrial Spirit 100/140 Day Price/Euro	E303100-210L E303100-60L E303100-5L	210 L 60 L 4x5 L
Eurol Cleaning Spirit 100/140 Day Price/Euro	E303101-1L	12x1 L

IAS BVBA MOTORCYCLE RANGE



Absorption products	Art. no.	Package
Eurol Super Floor Absorbent	E401310	10 KG
Eurol Oil Absorption Cloths 100 pcs	E400250	Box
Eurol Tricot Cloths (on roll)	E620200	Box
Eurol Tricot Cloths 100 pcs	E600200	Box

Cleaning equipment	Art. no.	Package
Eurol ODR -De Luxe- Part cleaning equipment, suitable for 200L barrels with side connector. Dimensions: 115 x 67 x 80 cm.	E400000	Piece
Eurol Dripping Tray for ODR -De Luxe- Dimensions: 120 x 120 x 14 cm	E400018	Piece
Eurol ODR -Economic- Part cleaning equipment, suitable for 60L barrels with side connector. Dimensions: 65 x 50 x 80 cm.	E400050	Piece
Eurol Dripping Tray for ODR -De Luxe- Dimensions: 120 x 60 x 10 cm	E400019	Piece
Eurol Fluid Pump for ODR	E400062	Piece
Eurol Cleaning Brush for ODR	E400040	Piece

Various Products	Art. no.	Package
Barrel wrench Plastic	E400408	Piece
Barrel oil pump Metal	E400318	Piece
Barrel pump Plastic (Viton)	E400333	Piece
Grease dispenser for 400G	E400344	Piece
Grease dispenser for 500G	E400345	Piece
PVC drumtap 3/4" connection	E400400	Piece
Sette drumtap 3/4" connection	E400420	Piece
Eurol captap 51mm 10/5	E400166	Piece
Eurol captap 61mm 30/25/20	E400165	Piece

IAS BVBA MOTORCYCLE RANGE



Koelvloeistof	Art. no.	Package
Eurol Coolant -26° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504100-210L	210 L
	E504100-60L	60 L
	E504100-20L	20 L
	E504100-5L	4x5 L
	E504100-1L	12x1 L
Eurol Coolant -36° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504105-210L	210 L
	E504105-60L	60 L
	E504105-20L	20 L
	E504105-5L	4x5 L
	E504105-1L	12x1 L
Eurol Coolant GLX -26° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504145-210L	210 L
	E504145-60L	60 L
	E504145-20L	20 L
Eurol Coolant GLX -36° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504144-210L	210 L
	E504144-60L	60 L
	E504144-20L	20 L
	E504144-5L	4x5 L
	E504144-1L	12x1 L
Eurol Coolant XL Yellow -36° C miscible with all commercial coolants MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E504140-210L	210 L
	E504140-60L	60 L
	E504140-20L	20 L
	E504140-5L	4x5 L
	E504140-1L	12x1 L
Eurol Coolant GLX PP -36° C TL-VW 774 G (G12++) For Volkswagens from year 09-2006 as well as all VW Phaeton/Touareg and Audi A8 / Q7.	E504148-210L	210 L
	E504148-60L	60 L
	E504148-20L	20 L
	E504148-5L	4x5 L
	E504148-1L	12x1 L
Eurol Coolant GLS 13 -36° C VW-TL 774 J (G13)	E504149-210L	210 L
	E504149-60L	60 L
	E504149-5L	4x5 L
	E504149-1L	12x1 L
Antifreeze	Art. no.	Package
Eurol Antifreeze Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate 1:1 = -36° C, 2:3 = -25° C, 1:2 = -18° C	E503150-210L	210 L
	E503150-60L	60 L
	E503150-20L	20 L
	E503150-5L	4x5 L
	E503150-1L	12x1 L

IAS BVBA MOTORCYCLE RANGE



Antifreeze

Eurol Antifreeze GLX

complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)

MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D
Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA
Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985

Art. no.	Package
E503152-210L	210 L
E503152-60L	60 L
E503152-20L	20 L
E503152-5L	4x5 L
E503152-1L	12x1 L

Eurol Diesel Flow Improver

Lowers the Freezing point of Diesel fuel

with 1:1000 10°C extra protection

E802485-210L	210 L
E802485-60L	60 L
E802485-5L	2x5 L

Eurol Brake Defroster

Iso-propylalcohol

E502610-60L	60 L
E502610-20L	20 L
E502610-5L	4x5 L

Screenwash

Eurol Screenwash Concentrate Lemon

Safe for polycarbonate, with
fresh lemon fragrance



Art. no.	Package
E502260-210L	210 L
E502260-60L	60 L
E502260-20L	20 L
E502260-5L	4x5 L
E502260-1L	12x1 L
E502260-500ML	24x500 ml
E502260-250ML	24x250 ml

Screenwash

Eurol Very Active De-Icer

Windshield de-icer spray

E502520	12x500 ml
---------	-----------

Eurol Screenwash Lemon Ready for use

Safe for polycarbonate, with
fresh lemon fragrance, protects to -22° C

E502265-210L	210 L
E502265-60L	60 L
E502265-20L	20 L
E502265-5L	4x5 L
E502265-2L	6x2 L

Eurol Summerwash Ready to Use

Pink Summerwash

E501270-5L	4x5 L
E501270-2L	6x2 L

Eurol Summerwash Concentrate

Pink Summerwash for 2.5 L screenwash

E501268-250ML	24x250ml
---------------	----------