



<b>Eurol Nautic Line Outboard</b>	<b>Art. no.</b>	<b>Package</b>
<i>Performance level</i>		
<b>Eurol Nautic Line FCW 10W-30 Outboard</b>	E100145-210L	210 L
NMMA FCW specification for Outboard engine - 4 stroke	E100145-60L	60 L
	E100145-5L	4x5 L
	E100145-1L	6x1 L
<b>Eurol Nautic Line FCW 10W-40 Outboard</b>	E100144-210L	210 L
NMMA FCW specification for Outboard engine - 4 stroke	E100144-60L	60 L
	E100144-5L	4x5 L
	E100144-1L	6x1 L
<b>Eurol Nautic Line Super 2T Outboard TCW-III</b>	E128430-210L	210 L
NMMA TCW-III specification for Outboard engine - 2 stroke	E128430-60L	60 L
	E128430-20L	20 L
	E128430-5L	4x5 L
	E128430-1L	12x1 L
<b>Eurol Nautic Line Super 2T Outboard Bio</b>	E100151-210L	210 L
NMMA TCW-III specification for Outboard engine - 2 stroke	E100151-60L	60 L
	E100151-5L	4x5 L
	E100151-1L	6x1 L
<b>Eurol Nautic Line Motor oil</b>	<b>Art. no.</b>	<b>Package</b>
<i>Performance level</i>		
<b>Eurol Nautic Line SHX 15W-40</b>	E100143-210L	210 L
Motoroil diesel/benzine - API SL-CI-4 - ACEA E5/E7	E100143-60L	60 L
	E100143-5L	4x5 L
	E100143-1L	6x1 L
<b>Eurol Nautic Monograde ST 30</b>	E100142-210L	210 L
Single grade motoroil - API SG-CF4-CF2 - ACEA E2	E100142-60L	60 L
	E100142-5L	4x5 L
<b>Eurol Nautic Monograde S 30</b>	E100141-5L	4x5 L
Single grade motoroil - API SF-CD	E100141-1L	6x1 L
<b>Eurol Marine Engine oil</b>	<b>Art. no.</b>	<b>Package</b>
<i>Performance level - other TBN values available on request</i>		
Eurol Marilla TP SAE 30 TBN10		210 L
Eurol Marilla TP SAE 40 TBN10		210 L
Eurol Marilla TP SAE 30 TBN15	E100139-210L	210 L
Eurol Marilla TP SAE 40 TBN15	E100210-210L	210 L
Eurol Marilla TP SAE 40 TBN20	E100211-210L	210 L
Eurol Marilla TP SAE 30 TBN30	E100140-210L	210 L
Eurol Marilla TP SAE 40 TBN30	E100155-210L	210 L
Eurol Marilla TP SAE 30 TBN40		210 L
Eurol Marilla TP SAE 40 TBN40		210 L
Eurol Marilla CIT SAE 40 TBN40	E100201-210L	210 L
Eurol Marilla CIT SAE 50 TBN40	E100202-210L	210 L
Eurol Marilla CIT SAE 50 TBN70	E100200-210L	210 L



<b>Eurol Nautic Line Transmission oil</b>		<b>Art. no.</b>	<b>Package</b>
<i>Performance level</i>			
<b>Eurol Nautic Line Gear oil 80W-90</b>		E100146-210L	210 L
oil for transmissions and tail pieces - GL 5		E100146-60L	60 L
		E100146-1L	6x1 L
		E130630-300ML	300 ML
<b>Eurol Nautic Line ATF II D</b>		E100147-5L	4x5 L
oil for reverse clutches - transmission - hydraulics		E100147-1L	6x1 L
<b>Eurol Nautic Line Hydraulic oil</b>		<b>Art. no.</b>	<b>Package</b>
<i>Performance level</i>			
<b>Eurol Nautic Line Hydraulic oil 15</b>		E100150-210L	210 L
Hydraulische oil HVI for steering - VHLP		E100150-60L	60 L
		E100150-5L	4x5 L
<b>Eurol Nautic Line Hydraulic oil 22</b>		E100149-210L	210 L
Hydraulische oil HVI for steering - VHLP		E100149-60L	60 L
		E100149-5L	4x5 L
<b>Eurol Nautic Line Hydraulic oil 32</b>		E100148-5L	4x5 L
Hydraulische oil HVI for hydraulisch systeem - VHLP		E100148-1L	6x1 L
<b>Eurol Nautic Line Winter</b>		<b>Art. no.</b>	<b>Package</b>
<i>Performance level</i>			
<b>Eurol Nautic Line Frost Protector</b>		E504129-210L	210 L
Drinkwater Antifreeze - Non Toxic - protection up to -26 degrees		E504129-60L	60 L
Mono Propyleen Glycol		E504129-20L	20 L
		E504129-5L	4x5 L
<b>Grease</b>		<b>Art. no.</b>	<b>Package</b>
<i>Performance level</i>			
<b>Eurol Multi Purpose Grease 2</b>		E901039-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil.		E901039-15KG	15 KG
NLGI 2 - Temperature range -30/+120°C			
<b>Eurol Multi Purpose Grease 3</b>		E901038-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil.		E901038-15KG	15 KG
NLGI 3 - Temperature range -30/+120°C		E901038-600G	6x600 G
		E901038-400G	12x400 G
<b>Eurol Lithium Complex EP 2 Plus</b>		E901300-180KG	180 KG
Multi Purpose for application under heavy (shock) loads or vibrations		E901300-50KG	50 KG
both with low and high temperatures.; NLGI: 2/3 - -30/+150°C		E901300-20KG	20 KG
		E901300-600G	6x600 G
		E901300-400G	12x400 G
<b>Eurol PTFE grease Complex EP 2</b>		E901280-20KG	20 KG
Lithium Complex with PTFE; applicable in both wide temperature range and load carrying capacity		E901280-600G	6x600 G
NLGI: 2, -30/+150°C		E901280-400G	12x400 G



Grease	Art. no.	Package
Performance level		
<b>Eurol White Lithium Grease EP 2</b>	E901080-180KG	180 KG
Multi Purpose, NLGI: 2 white -25/+130°C	E901080-600G	6x600 G
<b>Eurol Universal Grease Lithium EP 2</b>	E901030-180KG	180 KG
Multi Purpose for heavy loading	E901030-50KG	50 KG
NLGI: 2	E901030-20KG	20 KG
-25/+130°C	E901030-600G	6x600 G
	E901030-400G	12x400 G
<b>Eurol Lithium Grease EP 3</b>	E901040-50KG	50 KG
Multi Purpose	E901040-20KG	20 KG
NLGI: 3	E901040-600G	6x600 G
-25/+130°C	E901040-400G	12x400 G
<b>Eurol Calieur Grease EP 2</b>	E901320-50KG	50 KG
Tenacious, lithium calcium grease giving excellent water repelling properties	E901320-20KG	20 KG
for lubricating points aboard of dredging machines, excavators,	E901320-600G	6x600 G
telescope cranes, locks and bridges. NLGI: 2, -20/+150°C	E901320-400G	12x400 G
<b>Eurol Marine Grease EP 2/3</b>	E901160-20KG	20 KG
One single Lithium-calcium grease for all lubricating points on board like	E901160-600G	6x600 G
rudders, pintles, steering quadrants and other bearings and gears. NLGI 2, Temperature range -20/+1	E901160-400G	12x400 G
<b>Eurol Sterntube Grease</b>	E901470-50KG	50 KG
Specially suitable for propeller shafts. NLGI 2,	E901470-20KG	20 KG
Lithium strengthened with polymers, very water repellent	E901470-400G	12x400 G
Temperature range -25/+120°C; ISO-L-XCCEB 2; DIN KP2K-30		
<b>Eurol Sterntube Grease EP 3</b>	E901472-180KG	180 KG
Specially suitable for propeller shafts. NLGI 3; Temperature range -25/+120°C	E901472-20KG	20 KG
Lithium strengthened with polymers, very water repellent; ISO-L-XCCEA 3; DIN KP3K-30		
<b>Eurol Copper Grease</b>	E901220-18KG	18 KG
Lubrication of sud bolts, threaded ends, manifolds,	E901220-600G	6x600 G
hub nuts, ovens etc., -30/+1100°C		
<b>Eurol Molybdenum Disulfide Grease</b>	E901070-50KG	50 KG
Multi Purpose with MoS <sub>2</sub> for joint shafts	E901070-20KG	20 KG
NLGI: 2	E901070-600G	6x600 G
-25/+130°C	E901070-400G	12x400 G
<b>Eurol Graphite Grease</b>	E901072-180KG	180 KG
Eurol® Graphite Grease is an easily pumpable lubricating grease	E901072-15KG	15 KG
-30 up to 130; ISO-L-XCCEB 2; DIN KFP 2K -20	E901072-400G	12x400 G
<b>Eurol Ceramic Grease</b>	E901123-600G	6x600 G
anti-seize paste formulated from high molecular oil, ceramic materials, and inorganic binder and additives.		
hub nuts, ovens etc., -20/+1300°C		



**Grease** Art. no.      Package

Performance level

<b>Eurol Ball Bearing Grease EP 2</b>	E901210-180KG	180 KG
Multi purpose for roll-, and ball bearings	E901210-50KG	50 KG
NLGI: 2 - -25/+130°C	E901210-20KG	20 KG
	E901210-600G	6x600 G

<b>Eurol White Vaseline acidfree</b>	E901200-20KG	20 KG
Very high refined product of pharmaceutical quality used as a lubricant for packing machines and appliances in the food industry, as well as in the cosmetic - and pharmaceutical industry	E901200-600G	6x600 G

**Aerosols** Art. no.      Package

Performance level

<b>Eurol Ceramic Spray</b>	E701123	12x400 ML
<b>Eurol Copper Grease Spray</b>	E701130	12x400 ML
<b>Eurol Zinc Spray</b>	E701140	12x400 ML
<b>Eurol Skala05 Lube Spray</b>	E701170	12x400 ML
<b>Eurol Penetrating Oil Spray</b>	E701300	12x400 ML
<b>Eurol Chain Spray PTFE</b>	E701310	12x400 ML
<b>Eurol Silicone Protect Spray</b>	E701320	12x400 ML
<b>Eurol Multi Lube MD 50 Spray</b>	E701325	12x400 ML
<b>Eurol Open Gear Spray</b>	E701330	12x400 ML
<b>Eurol Vaseline Spray</b>	E701380	12x400 ML
<b>Eurol ML Injection Spray</b>	E701391	12x500 ML
<b>Eurol Moto Leather Spray</b>	E701400	12x400 ML
<b>Eurol White Grease Spray with PTFE</b>	E701420	12x400 ML
<b>Eurol Super Brakecleaner Spray</b>	E701445	12x500 ML
<b>Eurol PTFE Lube Spray</b>	E701460	12x400 ML
<b>Eurol Contact Cleaner Spray</b>	E701465	12x400 ML
<b>Eurol Undercoating Spray</b>	E701475	12x500 ML
<b>Eurol Cockpit Cleaner Spray</b>	E701485	12x400 ML

**Battery and Diesel Fluids** Art. no.      Package

<b>Eurol Battery Acid</b>	E301300-10L	10 L
37,5 %, SG = 1,28	E301300-1L	4x1 L

<b>Eurol Demineralised Water</b>	E301190-20L	20 L
	E301190-5L	4x5 L
	E301190-1L	12x1 L

<b>Eurol Diesel Test Fluid</b>	E802480-60L	60 L
Calibration fluid for fuelpumps and injectors of diesel engines.	E802480-60L	20 L
ISO 4113, SAE J967D Robert Bosch: VS 15665, Change every year.	E802480-5L	4x5 L



Handcleaner	Art. no.	Package
<b>Eurol Handcleaner Whitestar</b> Fresh handcleaner with lemon fragrance, without solvents > 90% Bio-degradable	E601440-60L E601440-4,5L E601440-600ML	60 L 4x4,5 L 12x600 ML
<b>Eurol Handcleaner Yellowstar</b> Fresh handcleaner with Terpenes > 90% Bio-degradable	E601430-60L E601430-4,5L E601430-600ML	60 L 4x4,5 L 12x600 ML
<b>Eurol Handcleaner Redstar</b> Cleaning of very dirty hands. Garage soap with effective granule.	E601410-60L E601410-4,5L E601410-600ML	60 L 4x4,5 L 12x600 ML
<b>Eurol Hand Protect Lotion</b> To be used on clean and dry hands. Based on Aloë Vera and Jojoba oil	E601450	12x250 ML
Dispensers for handcleaner	Art. no.	Package
<b>Eurol Wall Bracket for 4,5 L PET</b>	E400770	Piece
<b>Eurol Dispenser for 4,5 L PET</b>	E400771	Piece
Degreasers	Art. no.	Package
<b>Eurol Degreaser Plus HF</b> Red, alifatical cleaning fluid Heavy working degreaser	E302110-210L E302110-60L E302110-20L E302110-5L	210 L 60 L 2x5 L
<b>Eurol Degreaser Bio HF</b> With biodegradable emulsifier Heavy working degreaser	E302140-210L E302140-60L E302140-5L	210 L 60 L 2x5 L
<b>Eurol Degreaser Protect HF</b> Red, alifatical cleaning fluid corrosion- and skin protecting	E302120-210L E302120-60L	210 L 60 L 2x5 L
<b>Eurol Cleaning Liquid HF</b> Red, alifatical cleaning fluid, corrosion- and skin protecting Specially for ODR-equipment with side connector for barrels	E302100-210L E302100-60L E302100-20L	210 L 60 L 20 L
Cleaning fluids	Art. no.	Package
<b>Eurol Power Cleaner Bio 2000</b> Strongly concentrated cleaner, Bio-degradable Mixing ratio possible upto 1:25	E602180-20L E602180-5L E602180-1L	20 L 4x5 L 6x1 L
<b>Eurol Shampoo Wash &amp; Shine</b> Concentrated biodegradable shampoo with natural wax to creates a protective cover, for hand use	E602100-20L E602100-5L E602100-500ML	20 L 4x5 L 12x500 ML



Cleaning fluids	Art. no.	Package
<b>Eurol Car &amp; Truck Cleaner</b> Blank, Shampoo for high-pressure cleaner	E602181-210L E602181-20L	210 L 20 L
<b>Eurol Floor Cleaner</b> Fast and suitable cleaning of floors, 1:10 upto 1:50	E602190-20L	20 L
<b>Eurol Oxy Cleaner</b> Powerful cleaning product for heavy contamination, 1:1 up to 1:10	E602340-10L	10 L
<b>Eurol Insect Remover</b> Highly concentrated biodegradable cleaning product for fly's on the automotive body. Mixing ratio 1:5	E602220-5L E602225-500ML	4x5 L 12x500 ML
<b>Eurol Brakecleaner Special</b> Fast cleaning of brake disc and drum brake	E302520-210L E302520-60L E302520-20L E302520-5L	210 L 60 L 20 L 2x5 L
<b>Eurol Josol Cleaner</b> cleaning of vegetable pollution of fridges, swimming pool and floors, mixing ratio. 1:5 upto 1:25	E602160-10L E602160-5L	10 L 4x5 L
<b>Eurol Rim Cleaner</b> Heavy Aluminium cleaner	E602210-20L E602210-5L E602215-500ML	20 L 4x5 L 12x500 ML
<b>Eurol Delec Liquid 70-X</b> Emulsifiable liquid, safe for rubber, metal and plastics. Rinse with water or blow dry with air. Removal of grease, oil, paint, tar and coatings.	E302150-210L E302150-60L E302150-20L	210 L 60 L 20 L
<b>Eurol Delec Liquid 1080 ODR</b> Colourless and aromat-free. Degreaser of surfaces and parts. Removal of oil, grease, dust, dirt and sm metal parts.	E302170-210L E302170-60L E302170-20L	210 L 60 L 20 L
<b>Eurol Thinner 5K</b> Day Price/Euro	E303110-60L E303110-5L E303110-1L	60 L 4x5 L 12x1 L
<b>Eurol White Spirit</b> Day Price/Euro	E303160-1L	12x1 L
<b>Eurol Industrial Spirit 100/140</b> Day Price/Euro	E303100-210L E303100-60L E303100-5L	210 L 60 L 4x5 L
<b>Eurol Cleaning Spirit 100/140</b> Day Price/Euro	E303101-1L	12x1 L



**Absorption products** Art. no.      Package

Eurol Super Floor Absorbent	E401310	10 KG
Eurol Oil Absorption Cloths 100 pcs	E400250	Box
Eurol Tricot Cloths (on roll)	E620200	Box
Eurol Tricot Cloths 100 pcs	E600200	Box

**Cleaning equipment** Art. no.      Package

<b>Eurol ODR -De Luxe-</b> Part cleaning equipment, suitable for 200L barrels with side connector. Dimensions: 115 x 67 x 80 cm.	E400000	Piece
<b>Eurol Dripping Tray for ODR -De Luxe-</b> Dimensions: 120 x 120 x 14 cm	E400018	Piece
<b>Eurol ODR -Economic-</b> Part cleaning equipment, suitable for 60L barrels with side connector. Dimensions: 65 x 50 x 80 cm.	E400050	Piece
<b>Eurol Dripping Tray for ODR -De Luxe-</b> Dimensions: 120 x 60 x 10 cm	E400019	Piece
<b>Eurol Fluid Pump for ODR</b>	E400062	Piece
<b>Eurol Cleaning Brush for ODR</b>	E400040	Piece

**Various Products** Art. no.      Package

<b>Barrel wrench Plastic</b>	E400408	Piece
<b>Barrel oil pump Metal</b>	E400318	Piece
<b>Barrel pump Plastic (Viton)</b>	E400333	Piece
<b>Grease dispenser for 400G</b>	E400344	Piece
<b>Grease dispenser for 500G</b>	E400345	Piece
<b>PVC drumtap 3/4" connection</b>	E400400	Piece
<b>Sette drumtap 3/4" connection</b>	E400420	Piece
<b>Eurol captap 51mm 10/5</b>	E400166	Piece
<b>Eurol captap 61mm 30/25/20</b>	E400165	Piece



Koelvloeistof	Art. no.	Package
<b>Eurol Coolant -26° C</b> Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504100-210L	210 L
	E504100-60L	60 L
	E504100-20L	20 L
	E504100-5L	4x5 L
	E504100-1L	12x1 L
<b>Eurol Coolant -36° C</b> Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504105-210L	210 L
	E504105-60L	60 L
	E504105-20L	20 L
	E504105-5L	4x5 L
	E504105-1L	12x1 L
<b>Eurol Coolant GLX -26° C</b> complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504145-210L	210 L
	E504145-60L	60 L
	E504145-20L	20 L
<b>Eurol Coolant GLX -36° C</b> complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504144-210L	210 L
	E504144-60L	60 L
	E504144-20L	20 L
	E504144-5L	4x5 L
	E504144-1L	12x1 L
<b>Eurol Coolant XL Yellow -36° C</b> miscible with all commercial coolants MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E504140-210L	210 L
	E504140-60L	60 L
	E504140-20L	20 L
	E504140-5L	4x5 L
	E504140-1L	12x1 L
<b>Eurol Coolant GLX PP -36° C</b> TL-VW 774 G (G12++) For Volkswagens from year 09-2006 as well as all VW Phaeton/Touareg and Audi A8 / Q7.	E504148-210L	210 L
	E504148-60L	60 L
	E504148-20L	20 L
	E504148-5L	4x5 L
	E504148-1L	12x1 L
<b>Eurol Coolant GLS 13 -36° C</b> VW-TL 774 J (G13)	E504149-210L	210 L
	E504149-60L	60 L
	E504149-5L	4x5 L
	E504149-1L	12x1 L

Antifreeze	Art. no.	Package
<b>Eurol Antifreeze</b> Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate 1:1 = -36° C, 2:3 = -25° C, 1:2 = -18° C	E503150-210L	210 L
	E503150-60L	60 L
	E503150-20L	20 L
	E503150-5L	4x5 L
	E503150-1L	12x1 L





**Antifreeze** Art. no.    Package

<b>Eurol Antifreeze GLX</b> complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+) MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E503152-210L	210 L
	E503152-60L	60 L
	E503152-20L	20 L
	E503152-5L	4x5 L
	E503152-1L	12x1 L
<b>Eurol Diesel Flow Improver</b> Lowers the Freezing point of Diesel fuel with 1:1000 10°C extra protection	E802485-210L	210 L
	E802485-60L	60 L
	E802485-5L	2x5 L
<b>Eurol Brake Defroster</b> Iso-propylalcohol	E502610-60L	60 L
	E502610-20L	20 L
	E502610-5L	4x5 L

**Screenwash** Art. no.    Package

<b>Eurol Screenwash Concentrate Lemon</b> Safe for polycarbonate, with fresh lemon fragrance	E502260-210L	210 L
	E502260-60L	60 L
	E502260-20L	20 L
	E502260-5L	4x5 L
	E502260-1L	12x1 L
	E502260-500ML	24x500 ml
	E502260-250ML	24x250 ml



**Screenwash** Art. no.    Package

<b>Eurol Very Active De-Icer</b> Windshield de-icer spray	E502520	12x500 ml
<b>Eurol Screenwash Lemon Ready for use</b> Safe for polycarbonate, with fresh lemon fragrance, protects to -22° C	E502265-210L	210 L
	E502265-60L	60 L
	E502265-20L	20 L
	E502265-5L	4x5 L
	E502265-2L	6x2 L
<b>Eurol Summerwash Ready to Use</b> Pink Summerwash	E501270-5L	4x5 L
	E501270-2L	6x2 L
<b>Eurol Summerwash Concentrate</b> Pink Summerwash for 2.5 L screenwash	E501268-250ML	24x250ml