



Mineral Truck - Van motor oils

Performance level

	Art. no.	Package
Eurol SHPD 15W-40 SL/CI-4	E100110-210L	210 L
Mineral - EURO 2, 3	E100110-60L	60 L
ACEA: A3/B4/E7 (04) - E3/E5 (02) - API SL/CI-4 - VOLVO VDS-2/VDS-3	E100110-20L	20 L
MTU/DDC TYPE 2 - MB 228.3/228.1 /229.1 - MAN 271/3275 - RENAULT RD / RLD	E100110-5L	4x5 L

Tractor oil

Performance level

	Art. no.	Package
Eurol Altrack Syn 10W-40 CE-CF4/SF	E105082-210L	210 L
Semi-Synthetic - STOU oil - suitable for wet-brakes	E105082-60L	60 L
ACEA E3 - API CG-4/CF-4/SF - API GL4 and 5 - ALLISON C4 - MIL-L-2104D/2105	E105082-20L	20 L
FORD NH 82009202 - JOHN DEERE JDM-J27, J20C - FORD M2C-159B/C	E105082-5L	4x5 L
FNHA-2-C-201 - MF M1139/1144 - CATERPILLAR TO-2 - ZF-TE-ML 06A/B/C, 07B		

Eurol Altrack 15W-40 CE-CF4/SF	E105084-210L	210 L
Mineral - STOU oil - suitable for wet-brakes	E105084-60L	60 L
ACEA E3 - API CG-4/CF-4/CE/SF - API GL4 - ALLISON C4 - MIL-L-2104D/46152C	E105084-20L	20 L
FORD NH 82009202 - JOHN D JDM-J27, J20A/C - FORD M2C-159B/C -86A -134C	E105084-5L	4x5 L
FNHA-2-C-201 - CATERPILLAR TO-2 - ZF-TE-ML 06A/B/C, 07B - MB 227.1		
MF M1127 / 1135 / 1139 / 1144 / 1145		

Eurol Altrack 15W-30 CE-CF4/SF	E105080-210L	210 L
Mineral - STOU oil - suitable for wet-brakes	E105080-60L	60 L
ACEA E3 - API CG-4/CF-4/CE/SF - API GL4 - ALLISON C4 - MIL-L-2104D/46152C	E105080-20L	20 L
FORD NH 82009202 - JOHN D JDM-J27, J20A/C - FORD M2C-159B/C -86A -134C -FNHA-2-C-201 -	E105080-5L	4x5 L
CATERPILLAR TO-2 - ZF-TE-ML 06A/B/C, 07B - MB 227.1 - MF M1127 / 1135 / 1139 / 1144 / 1145		

Eurol Altrack 10W-30 CE-CF4/SF	E105075-210L	210 L
Mineral - STOU oil - suitable for wet-brakes	E105075-60L	60 L
ACEA E3 - API CG-4/CF-4/CE/SF - API GL4 - ALLISON C4 - MIL-L-2104D/46152C	E105075-20L	20 L
FORD NH 82009202 - JOHN D JDM-J27, J20A/C - FORD M2C-159B/C -86A -134C -FNHA-2-C-201 -	E105075-5L	4x5 L
CATERPILLAR TO-2 - ZF-TE-ML 06A/B/C, 07B - MB 227.1 - MF M1127 / 1135 / 1139 / 1144 / 1145		

Eurol Hykrol CT Fluid	E105825-210L	210 L
Mineral - UTTO oil - suitable for wet-brakes	E105825-60L	60 L
IH:Hytran; JD:J20D; MS1207/1210; MF1110; Ford NH M2C41B	E105825-20L	20 L
Transmission, clutches, final drives and wet brakes	E105825-5L	4x5 L

Eurol Hykrol JD 68	E105820-210L	210 L
Mineral - UTTO oil - suitable for wet-brakes	E105820-60L	60 L
Ford: M2C-48B/134A/B/C/D; J20C; Kubota UDT	E105820-20L	20 L
MF: 1127A/-B/1192A/1135/1141; JI Case: MS 1204/1205/1206	E105820-5L	4x5 L

Eurol Hykrol PST 80	E105822-210L	210 L
Mineral - UTTO oil - suitable for wet-brakes	E105822-60L	60 L
API GL-4 - Ford M2C86 B/C, M2C-134D - Allison C3 - Caterpillar TO-2	E105822-20L	20 L
John Deere J20A/C, J21A/3000 TH - MF 1127A/1135/1139/1141/1143	E105822-5L	4x5 L
Renault THFI / 180596 - New Holland 410B, 420A - FHNA 2C-201.00, Case 1204/1205/1206		

Tractor oil		Art. no.	Package
Performance level			
Hykrol WB 102		E105835-210L	210 L
Full synthetic - UTTO oil - suitable for wet-brakes		E105835-60L	60 L
API: GL4 - Volvo WB 101 /102 - Case MS 1207, 1209, 1210 - I.H. Hytran B Plus - Caterpillar TO-2, ZF TE ML		E105835-20L	20 L
Allison C4 - John Deere J20D/J14C/J21A - Massey Ferguson M1127B/1129A/1141/1143/1145, Komatsu AXO 80			
Steyr 397.88.00001 H - HLP 32/46 - New Holland NH-410B - Ford M2C134D,M2C41B, M2C48C			
Eurol Hykrol DAZ 15		E108826-210L	210 L
Mineral - Zincfree - ashless		E108826-20L	20 L
VHLPD DIN 51524 part 3 - FZG A/8.3/90>10 - Hagglunds			
Denison - Vickers I-286-S/I-2952-S - Cincinati Milacron			
Eurol Hykrol DAZ 46		E108827-210L	210 L
Mineral - Zincfree - ashless		E108827-60L	60 L
VHLPD DIN 51524 part 3 - FZG A/8.3/90>10 - Hagglunds		E108827-20L	20 L
Denison - Vickers I-286-S/I-2952-S - Cincinati Milacron		E108827-5L	4x5 L
Powershift Transmission TO-4		Art. no.	Package
Performance level			
Eurol Powershift TO-10		E101248-210L	210 L
API CF/CF-2 - Caterpillar TO-4 - Allison C-4		E101248-60L	60 L
ZF TE-ML 01, 03 - Komatsu KES 07.868.1		E101248-20L	20 L
Eurol Powershift TO-30		E101265-210L	210 L
API CF/CF-2 - Caterpillar TO-4 - Allison C-4		E101265-60L	60 L
ZF TE-ML 01, 03 - Komatsu KES 07.868.1		E101265-20L	20 L
Eurol Powershift TO-50		E101367-210L	210 L
API CF/CF-2 - Caterpillar TO-4 - Allison C-4		E101367-60L	60 L
ZF TE-ML 01, 03 - Komatsu KES 07.868.1		E101367-20L	20 L
Chainsaw oil		Art. no.	Package
Performance level			
Eurol Chainsaw oil Bio - Anti-fling		E125470-210L	210 L
100% Bio-degradable - Approval 'Blauwe Engel'		E125470-60L	60 L
Tacky, viscous lubricant for lubrication chainsaw		E125470-5L	4x5 L
		E125470-1L	6x1 L
Eurol Chainsaw oil AK - Anti-fling		E125450-210L	210 L
Mineral Chainsawoil for effective lubrication of bars and chains		E125450-60L	60 L
in both engine driven as well as electrical chainsaws.		E125450-20L	20 L
		E125450-5L	4x5 L
		E125450-4L	4x4 L
		E125450-1L	12x1 L
Foodgrade oil H1		Art. no.	Package
Performance level			
Eurol Hykrol FG ISO-VG 32		E902695-210L	210 L
occasional constroke with food allowed		E902695-60L	60 L
		E902695-20L	20 L
Eurol Hykrol FG ISO-VG 46		E902697-210L	210 L
occasional constroke with food allowed		E902697-60L	60 L
		E902697-5L	4x5 L
Eurol Hykrol FG ISO-VG 68		E902698-60L	60 L
occasional constroke with food allowed		E902698-20L	20 L
		E902698-5L	4x5 L

Foodgrade oil H1	Art. no.	Package
Performance level		
Eurol Multisept FG ISO-VG 220 occasional constroke with food allowed	E902571-210L	210 L
	E902571-5L	4x5 L
Eurol Foodgrease Complex NLGI 2 occasional constroke with food allowed	E902105-50KG	50 KG
	E902105-18KG	18 KG
	E902105-400G	12x400 G
Bio Hydraulic oil	Art. no.	Package
Performance level		
Eurol Hykrol BIO Syn ISO-VG 32 Fully Synthetic - HEES	E108823-210L	210 L
	E108823-60L	60 L
Eurol Hykrol BIO Syn ISO-VG 46 Fully Synthetic - HEES	E108825-210L	210 L
	E108825-60L	60 L
Eurol Hykrol BIO RO 32/46 Vegetable - HETG Mannesmann, Rexroth VI=200	E108824-210L	210 L
	E108824-60L	60 L
	E108824-5L	4x5 L
Hydraulic oil VHLP	Art. no.	Package
Performance level		
Eurol Hykrol VHLP ISO-VG 15 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108805-210L	210 L
	E108805-60L	60 L
	E108805-20L	20 L
Eurol Hykrol VHLP ISO-VG 22 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108790-210L	210 L
	E108790-60L	60 L
	E108790-5L	4x5 L
Eurol Hykrol VHLP ISO-VG 32 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108800-210L	210 L
	E108800-60L	60 L
	E108800-20L	20 L
	E108800-5L	4x5 L
	E108800-1L	12x1 L
Eurol Hykrol VHLP ISO-VG 46 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108810-210L	210 L
	E108810-60L	60 L
	E108810-20L	20 L
	E108810-5L	4x5 L
	E108810-1L	12x1 L
Eurol Hykrol VHLP ISO-VG 68 HLP DIN 51524 part 3; FZG A/8.3/90>12 VDMA: 24318, Thyssen TH-N-256132, VI=150	E108815-210L	210 L
	E108815-60L	60 L
	E108815-20L	20 L
	E108815-5L	4x5 L
Eurol Hykrol SVI 13 HLP DIN 51524 part 3 ; MIL-H-5606A ; VI > 350	E108687-210L	210 L
	E108687-60L	60 L
	E108687-20L	20 L
Eurol Hykrol SVI 26 HLP DIN 51524 part 3 ; MIL-H-5606A ; VI > 370	E108688-210L	210 L
	E108688-60L	60 L
	E108688-20L	20 L
Eurol Jack Oil HLP DIN 51524 part 3 - ISO-VG 32 For hydraulics of manual and electric jacks	E122800-500ML	12x500 ML

Hydraulic Oils HLP	Art. no.	Package
--------------------	----------	---------

Performance level

EuroL Hykrol HLP ISO-VG 10	E108685-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108685-60L	60 L
Thyssen TH-N-256132, VDMA: 24318, VI=100	E108685-20L	20 L

EuroL Hykrol HLP ISO-VG 15	E108690-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108690-60L	60 L
Thyssen TH-N-256132, VDMA: 24318, VI=100	E108690-20L	20 L
	E108690-5L	4x5 L

EuroL Hykrol HLP ISO-VG 22	E108700-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108700-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108700-20L	20 L
	E108700-5L	4x5 L

EuroL Hykrol HLP ISO-VG 32	E108710-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108710-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108710-20L	20 L
	E108710-5L	4x5 L

EuroL Hykrol HLP ISO-VG 46	E108720-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108720-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108720-20L	20 L
	E108720-5L	4x5 L

EuroL Hykrol HLP ISO-VG 68	E108730-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108730-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108730-20L	20 L
	E108730-5L	4x5 L

EuroL Hykrol HLP ISO-VG 100	E108740-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108740-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108740-20L	20 L
	E108740-5L	4x5 L

EuroL Hykrol HLP ISO-VG 150	E108750-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108750-60L	60 L
Thyssen TH-N-256132, VDMA: 24318, VI=100	E108750-20L	20 L
	E108750-5L	4x5 L

Grease	Art. no.	Package
--------	----------	---------

Performance level

EuroL Multi Purpose Grease 2	E901039-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil.	E901039-15KG	15 KG
NLGI 2 - Temperature range -30/+120°C		

EuroL Multi Purpose Grease 3	E901038-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil.	E901038-15KG	15 KG
NLGI 3 - Temperature range -30/+120°C	E901038-600G	6x600 G
	E901038-400G	12x400 G

EuroL Lithium Complex EP 2 Plus	E901300-180KG	180 KG
Multi Purpose for application under heavy (shock) loads or vibrations	E901300-50KG	50 KG
both with low and high temperatures.; NLGI: 2/3 - -30/+150°C	E901300-20KG	20 KG
	E901300-600G	6x600 G
	E901300-400G	12x400 G

EuroL PTFE grease Complex EP 2	E901280-20KG	20 KG
Lithium Complex with PTFE; applicable in both wide temperature range and load carrying capacity	E901280-600G	6x600 G
NLGI: 2, -30/+150°C	E901280-400G	12x400 G

Grease	Art. no.	Package
Performance level		
Euro White Lithium Grease EP 2	E901080-180KG	180 KG
Multi Purpose, NLGI: 2 white -25/+130°C	E901080-600G	6x600 G
Euro Universal Grease Lithium EP 2	E901030-180KG	180 KG
Multi Purpose for heavy loading	E901030-50KG	50 KG
NLGI: 2	E901030-20KG	20 KG
-25/+130°C	E901030-600G	6x600 G
	E901030-400G	12x400 G
Euro Lithium Grease EP 3	E901040-50KG	50 KG
Multi Purpose	E901040-20KG	20 KG
NLGI: 3	E901040-600G	6x600 G
-25/+130°C	E901040-400G	12x400 G
Euro Lithium Grease EP 0	E901020-180KG	180 KG
pecially developed for trucks and busses which are suited with a central lubrication system.	E901020-50KG	50 KG
NLGI: 0 -25/+100°C	E901020-20KG	20 KG
Euro Lithium Grease EP 00	E901010-180KG	180 KG
pecially developed for a central lubrication system (of Willy Vogel).	E901010-50KG	50 KG
NLGI: 00, -35/+100°C	E901010-20KG	20 KG
Euro Lithiumvet EP 000	E901005-12,5KG	12,5 KG
Centraal doorsmeervet, semi vloeibaar zeer laag visceus.	E901005-5KG	5 KG
DIN KP 000 E-30ISO-L-XCBFB 000 Toepassingsbereik -30°C tot +80°C		
Euro Calieur Grease EP 2	E901320-50KG	50 KG
Tenacious, lithium calcium grease giving excellent water repelling properties	E901320-20KG	20 KG
for lubricating points aboard of dredging machines, excavators,	E901320-600G	6x600 G
telescope cranes, locks and bridges. NLGI: 2, -20/+150°C	E901320-400G	12x400 G
Euro Calieur Grease EP 0	E901310-20KG	20 KG
Lithium-Calcium grease NLGI-0; ISO-L-XBCHB 0; DIN KP 0K -20 for Cyclo mowers and Central Lubrication Systems		
Euro Copper Grease	E901220-18KG	18 KG
Lubrication of sud bolts, threaded ends, manifolds,	E901220-600G	6x600 G
hub nuts, ovens etc., -30/+1100°C		
Euro Molybdenum Disulfide Grease	E901070-50KG	50 KG
Multi Purpose with MoS2 for joint shafts	E901070-20KG	20 KG
NLGI: 2	E901070-600G	6x600 G
-25/+130°C	E901070-400G	12x400 G
Euro CS Grease	E901095-50KG	50 KG
High temperature grease, formulated from calcium sulphonate thickener with Extreme Pressure properties	E901095-20KG	20 KG
NLGI-class 1 / 2	E901095-600G	6x600 G
	E901095-400G	12x400 G
Euro Skala Complex Grease EP 0	E901170-180KG	180 KG
For the lubrication of heavily loaded open gears	E901170-50KG	50 KG
NLGI-class 0/1, DIN KGOG0.5N-30; ISO-L- XCDIB0.5	E901170-18KG	18 KG
Euro HT Grease EP 2	E901090-50KG	50 KG
high temperature grease on inorganic thickener with Extreme Pressure properties	E901090-20KG	20 KG
NLGI-class 2; DIN KP 2 P-30; ISO-L-XBDGB 2	E901090-400G	12x400 G

Grease		Art. no.	Package
<small>Performance level</small>			
Eurol Graphite Grease		E901072-180KG	180 KG
Eurol® Graphite Grease is an easily pumpable lubricating grease		E901072-15KG	15 KG
-30 up to 130; ISO-L-XCCEB 2; DIN KFP 2K -20		E901072-400G	12x400 G
Eurol Ceramic Grease		E901123-600G	6x600 G
anti-seize paste formulated from high molecular oil, ceramic materials, and inorganic binder and additives.			
hub nuts, ovens etc., -20/+1300°C			
Eurol Ball Bearing Grease EP 2		E901210-180KG	180 KG
Multi purpose for roll-, and ball bearings		E901210-50KG	50 KG
NLGI: 2 - -25/+130°C		E901210-20KG	20 KG
		E901210-600G	6x600 G
Eurol White Vaseline acidfree		E901200-20KG	20 KG
Very high refined product of pharmaceutical quality used as a lubricant for packing machines		E901200-600G	6x600 G
and appliances in the food industry, as well as in the cosmetic - and pharmaceutical industry			
Eurol Silicone Grease NLGI 1-2		E901215-10KG	10 KG
excellent electric insulation and water repellent properties; American FDA 172.8805; NLGI-class 1-2		E901215-600G	6x600 G
		E901215-400G	12x400 G
Eurol Silicone Grease NLGI 3		E901217-100G	24x100 G
excellent electric insulation and water repellent properties; American FDA 172.8805; NLGI-class 3			
Eurol Leather Grease		E901230-120G	120 G
Eurol Leather grease is developed for the maintenance of clothing, shoes, jackets, seats etc.			
With the pure baseoils and greases it rejects water and dust and has a good absorbtion in the materials			
Undercoatings		Art. no.	Package
Eurol Undercoating Non-Airless		E201120-60L	60 L
Hazy- Spray equipment, Black, corrosion excluding		E201120-1L	12x1 L
Eurol UBC Relacquer black		E201140-1L	12x1 L
Relacquer			
Eurol ML Injection Coating		E201200-60L	60 L
Airless- or Hazy - Spray equipment		E201200-5L	4x5 L
Thin brown fluid, inner corrosion excluding			
Eurol ML Injection Wax		E201201-60L	60 L
Airless- or Hazy - Spray equipment		E201201-5L	4x5 L
Thin white fluid, inner corrosion excluding coating		E201201-1L	12x1 L
Aerosols		Art. no.	Package
<small>Performance level</small>			
Eurol Ceramic Spray		E701123	12x400 ML
Eurol Copper Grease Spray		E701130	12x400 ML
Eurol Zinc Spray		E701140	12x400 ML
Eurol Skala05 Lube Spray		E701170	12x400 ML
Eurol Penetrating Oil Spray		E701300	12x400 ML
Eurol Bike Shine Spray		E701305	12x400 ML
Eurol Chain Spray PTFE		E701310	12x400 ML
Eurol Silicone Protect Spray		E701320	12x400 ML
Eurol Multi Lube MD 50 Spray		E701325	12x400 ML
Eurol Open Gear Spray		E701330	12x400 ML

Aerosols	Art. no.	Package
Performance level		
Eurol Vaseline Spray	E701380	12x400 ML
Eurol ML Injection Spray	E701391	12x500 ML
Eurol Moto Leather Spray	E701400	12x400 ML
Eurol White Grease Spray with PTFE	E701420	12x400 ML
Eurol Super Brakecleaner Spray	E701445	12x500 ML
Eurol PTFE Lube Spray	E701460	12x400 ML
Eurol Contact Cleaner Spray	E701465	12x400 ML
Eurol Undercoating Spray	E701475	12x500 ML
Eurol Cockpit Cleaner Spray	E701485	12x400 ML

Battery and Diesel Fluids	Art. no.	Package
Eurol Battery Acid	E301300-10L	10 L
37,5 %, SG = 1,28	E301300-1L	4x1 L
Eurol Demineralised Water	E301190-20L	20 L
	E301190-5L	4x5 L
	E301190-1L	12x1 L
Eurol Diesel Test Fluid	E802480-60L	60 L
Calibration fluid for fuelpumps and injectors of diesel engines.	E802480-60L	20 L
ISO 4113, SAE J967D Robert Bosch: VS 15665, Change every year.	E802480-5L	4x5 L

Handcleaner	Art. no.	Package
Eurol Handcleaner Whitestar	E601440-60L	60 L
Fresh handcleaner with lemon fragrance, without solvents	E601440-4,5L	4x4,5 L
> 90% Bio-degradable	E601440-600ML	12x600 ML
Eurol Handcleaner Yellowstar	E601430-60L	60 L
Fresh handcleaner with Terpenes	E601430-4,5L	4x4,5 L
> 90% Bio-degradable	E601430-600ML	12x600 ML
Eurol Handcleaner Redstar	E601410-60L	60 L
Cleaning of very dirty hands. Garage soap with effective granule.	E601410-4,5L	4x4,5 L
	E601410-600ML	12x600 ML
Eurol Hand Protect Lotion	E601450	12x250 ML
To be used on clean and dry hands. Based on Aloë Vera and Jojoba oil		

Dispensers for handcleaner	Art. no.	Package
Eurol Wall Bracket for 4,5 L PET	E400770	Piece
Eurol Dispenser for 4,5 L PET	E400771	Piece

Degreasers	Art. no.	Package
Eurol Degreaser Plus HF	E302110-210L	210 L
Red, alifatical cleaning fluid	E302110-60L	60 L
Heavy working degreaser	E302110-5L	2x5 L
Eurol Degreaser Bio HF	E302140-210L	210 L
With biodegradable emulsifier	E302140-60L	60 L
Heavy working degreaser	E302140-5L	2x5 L

Degreasers		Art. no.	Package
Eurol Degreaser Protect HF		E302120-210L	210 L
Red, alifatical cleaning fluid		E302120-60L	60 L
corrosion- and skin protecting		E302120-5L	2x5 L
Eurol Cleaning Liquid HF		E302100-210L	210 L
Red, alifatical cleaning fluid, corrosion- and skin protecting		E302100-60L	60 L
Specially for ODR-equipment with side connector for barrels		E302100-20L	20 L
Cleaning fluids		Art. no.	Package
Eurol Power Cleaner Bio 2000		E602180-20L	20 L
Strongly concentrated cleaner, Bio-degradable		E602180-5L	4x5 L
Mixing ratio possible upto 1:25		E602180-1L	6x1 L
Eurol Shampoo Wash & Shine		E602100-20L	20 L
Concentrated biodegradable shampoo with natural wax to creates a protective cover, for hand use		E602100-5L	4x5 L
		E602100-500ML	12x500 ML
Eurol Car & Truck Cleaner		E602181-210L	210 L
Blank, Shampoo for high-pressure cleaner		E602181-20L	20 L
Eurol Floor Cleaner		E602190-20L	20 L
Fast and suitable cleaning of floors, 1:10 upto 1:50			
Eurol Oxy Cleaner		E602340-10L	10 L
Powerful cleaning product for heavy contamination, 1:1 up to 1:10			
Eurol Insect Remover		E602220-5L	4x5 L
Highly concentrated biodegradable cleaning product for fly's on the automotive body. Mixing ratio 1:5 upto 1:2		E602225-500ML	12x500 ML
Eurol Brakecleaner Special		E302520-210L	210 L
Fast cleaning of brake disc and drum brake		E302520-60L	60 L
		E302520-20L	20 L
		E302520-5L	2x5 L
Eurol Josol Cleaner		E602160-10L	10 L
cleaning of vegetable pollution of fridges, swimming pool and floors, mixing ratio. 1:5 upto 1:25		E602160-5L	4x5 L
Eurol Rim Cleaner		E602210-20L	20 L
Heavy Aluminium cleaner		E602210-5L	4x5 L
		E602215-500ML	12x500 ML
Eurol Delec Liquid 70-X		E302150-210L	210 L
Emulsifiable liquid, safe for rubber, metal and plastics. Rinse with water or blow dry with air.		E302150-60L	60 L
Removal of grease, oil, paint, tar and coatings.		E302150-20L	20 L
Eurol Delec Liquid 1080 ODR		E302170-210L	210 L
Colourless and aromat-free. Degreaser of surfaces and parts. Removal of oil, grease, dust, dirt and small metal parts.		E302170-60L	60 L
		E302170-20L	20 L
Eurol Thinner 5K		E303110-60L	60 L
Day Price/Euro		E303110-5L	4x5 L
		E303110-1L	12x1 L
Eurol White Spirit		E303160-1L	12x1 L
Day Price/Euro			

Cleaning fluids		Art. no.	Package
Eurol Industrial Spirit 100/140		E303100-210L	210 L
Day Price/Euro		E303100-60L	60 L
		E303100-5L	4x5 L
Eurol Cleaning Spirit 100/140		E303101-1L	12x1 L
Day Price/Euro			
Absorption products		Art. no.	Package
Eurol Super Floor Absorbent		E401310	10 KG
Eurol Oil Absorption Cloths 100 pcs		E400250	Box
Eurol Tricot Cloths (on roll)		E620200	Box
Eurol Tricot Cloths 100 pcs		E600200	Box
Cleaning equipment		Art. no.	Package
Eurol ODR -De Luxe-		E400000	Piece
Part cleaning equipment, suitable for 200L barrels with side connector. Dimensions: 115 x 67 x 80 cm.			
Eurol Dripping Tray for ODR -De Luxe-		E400018	Piece
Dimensions: 120 x 120 x 14 cm			
Eurol ODR -Economic-		E400050	Piece
Part cleaning equipment, suitable for 60L barrels with side connector. Dimensions: 65 x 50 x 80 cm.			
Eurol Dripping Tray for ODR -De Luxe-		E400019	Piece
Dimensions: 120 x 60 x 10 cm			
Eurol Fluid Pump for ODR		E400062	Piece
Eurol Cleaning Brush for ODR		E400040	Piece
Various Products		Art. no.	Package
Barrel wrench Plastic		E400408	Piece
Barrel oil pump Metal		E400318	Piece
Barrel pump Plastic (Viton)		E400333	Piece
Grease dispenser for 400G		E400344	Piece
Grease dispenser for 500G		E400345	Piece
PVC drumtap 3/4" connection		E400400	Piece
Sette drumtap 3/4" connection		E400420	Piece
Eurol captap 51mm 10/5		E400166	Piece
Eurol captap 61mm 30/25/20		E400165	Piece

Koelvloeistof		Art. no.	Package
Eurol Coolant -26° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504100-210L	210 L	
	E504100-60L	60 L	
	E504100-20L	20 L	
	E504100-5L	4x5 L	
	E504100-1L	12x1 L	
Eurol Coolant -36° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504105-210L	210 L	
	E504105-60L	60 L	
	E504105-20L	20 L	
	E504105-5L	4x5 L	
	E504105-1L	12x1 L	
Eurol Coolant GLX -26° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504145-210L	210 L	
	E504145-60L	60 L	
	E504145-20L	20 L	
Eurol Coolant GLX -36° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504144-210L	210 L	
	E504144-60L	60 L	
	E504144-20L	20 L	
	E504144-5L	4x5 L	
	E504144-1L	12x1 L	
Eurol Coolant XL Yellow -36° C miscible with all commercial coolants MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E504140-210L	210 L	
	E504140-60L	60 L	
	E504140-20L	20 L	
	E504140-5L	4x5 L	
	E504140-1L	12x1 L	
Eurol Coolant GLX PP -36° C TL-VW 774 G (G12++) For Volkswagens from year 09-2006 as well as all VW Phaeton/Touareg and Audi A8 / Q7.	E504148-210L	210 L	
	E504148-60L	60 L	
	E504148-20L	20 L	
	E504148-5L	4x5 L	
	E504148-1L	12x1 L	
Eurol Coolant GLS 13 -36° C VW-TL 774 J (G13)	E504149-210L	210 L	
	E504149-60L	60 L	
	E504149-5L	4x5 L	
	E504149-1L	12x1 L	
Antifreeze		Art. no.	Package
Eurol Antifreeze Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate 1:1 = -36° C, 2:3 = -25° C, 1:2 = -18° C	E503150-210L	210 L	
	E503150-60L	60 L	
	E503150-20L	20 L	
	E503150-5L	4x5 L	
	E503150-1L	12x1 L	
Eurol Antifreeze GLX complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+) MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E503152-210L	210 L	
	E503152-60L	60 L	
	E503152-20L	20 L	
	E503152-5L	4x5 L	
	E503152-1L	12x1 L	
Eurol Diesel Flow Improver Lowers the Freezing point of Diesel fuel with 1:1000 10°C extra protection	E802485-210L	210 L	
	E802485-60L	60 L	
	E802485-5L	2x5 L	
Eurol Brake Defroster Iso-propylalcohol	E502610-60L	60 L	
	E502610-20L	20 L	
	E502610-5L	4x5 L	

Screenwash

Art. no.

Package

Eurol Screenwash Concentrate Lemon

Safe for polycarbonate, with
fresh lemon fragrance



E502260-210L	210 L
E502260-60L	60 L
E502260-20L	20 L
E502260-5L	4x5 L
E502260-1L	12x1 L
E502260-500ML	24x500 ml
E502260-250ML	24x250 ml

Eurol Very Active De-Icer

Windshield de-icer spray

E502520	12x500 ml
---------	-----------

Eurol Screenwash Lemon Ready for use

Safe for polycarbonate, with
fresh lemon fragrance, protects to -22° C

E502265-210L	210 L
E502265-60L	60 L
E502265-20L	20 L
E502265-5L	4x5 L
E502265-2L	6x2 L

Eurol Summerwash Ready to Use

Pink Summerwash

E501270-5L	4x5 L
E501270-2L	6x2 L

Eurol Summerwash Concentrate

Pink Summerwash for 2.5 L screenwash

E501268-250ML	24x250ml
---------------	----------