




Mineral Truck - Van motor oils	Art. no.	Package
<i>Performance level</i>		
Eurol SHPD 15W-40 SL/CI-4	E100110-210L	210 L
Mineral - EURO 2, 3	E100110-60L	60 L
ACEA: A3/B4/E7 (04) - E3/E5 (02) - API SL/CI-4 - VOLVO VDS-2/VDS-3	E100110-20L	20 L
MTU/DDC TYPE 2 - MB 228.3/228.1 /229.1 - MAN 271/3275 - RENAULT RD / RLD	E100110-5L	4x5 L
Powershift Transmission TO-4	Art. no.	Package
<i>Performance level</i>		
Eurol Powershift TO-10	E101248-210L	210 L
API CF/CF-2 - Caterpillar TO-4 - Allison C-4	E101248-60L	60 L
ZF TE-ML 01, 03 - Komatsu KES 07.868.1	E101248-20L	20 L
Eurol Powershift TO-30	E101265-210L	210 L
API CF/CF-2 - Caterpillar TO-4 - Allison C-4	E101265-60L	60 L
ZF TE-ML 01, 03 - Komatsu KES 07.868.1	E101265-20L	20 L
Eurol Powershift TO-50	E101367-210L	210 L
API CF/CF-2 - Caterpillar TO-4 - Allison C-4	E101367-60L	60 L
ZF TE-ML 01, 03 - Komatsu KES 07.868.1	E101367-20L	20 L
Chainsaw oil	Art. no.	Package
<i>Performance level</i>		
Eurol Chainsaw oil Bio - Anti-fling	E125470-210L	210 L
100% Bio-degradable - Approval 'Blauwe Engel'	E125470-60L	60 L
Tacky, viscous lubricant for lubrication chainsaw	E125470-5L	4x5 L
	E125470-1L	6x1 L
Eurol Chainsaw oil AK - Anti-fling	E125450-210L	210 L
Mineral Chainsawoil for effective lubrication of bars and chains	E125450-60L	60 L
in both engine driven as well as electrical chainsaws.	E125450-20L	20 L
	E125450-5L	4x5 L
	E125450-4L	4x4 L
	E125450-1L	12x1 L
Foodgrade oil H1	Art. no.	Package
<i>Performance level</i>		
Eurol Hykrol FG ISO-VG 32	E902695-210L	210 L
occasional constroke with food allowed	E902695-60L	60 L
	E902695-20L	20 L
Eurol Hykrol FG ISO-VG 46	E902697-210L	210 L
occasional constroke with food allowed	E902697-60L	60 L
	E902697-5L	4x5 L
Eurol Hykrol FG ISO-VG 68	E902698-60L	60 L
occasional constroke with food allowed	E902698-20L	20 L
	E902698-5L	4x5 L
Eurol Multisept FG ISO-VG 220	E902571-210L	210 L
occasional constroke with food allowed	E902571-5L	4x5 L




Foodgrade oil H1	Art. no.	Package
Performance level		
Eurol Foodgrease Complex NLGI 2	E902105-50KG	50 KG
occasional constroke with food allowed	E902105-18KG	18 KG
	E902105-400G	12x400 G
Bio Hydraulic oil	Art. no.	Package
Performance level		
Eurol Hykrol BIO Syn ISO-VG 32	E108823-210L	210 L
Fully Synthetic - HEES	E108823-60L	60 L
Eurol Hykrol BIO Syn ISO-VG 46	E108825-210L	210 L
Fully Synthetic - HEES	E108825-60L	60 L
Eurol Hykrol BIO RO 32/46	E108824-210L	210 L
Vegetable - HETG	E108824-60L	60 L
Mannesmann, Rexroth VI=200	E108824-5L	4x5 L
Hydraulic oil VHLP	Art. no.	Package
Performance level		
Eurol Hykrol VHLP ISO-VG 15	E108805-210L	210 L
HLP DIN 51524 part 3; FZG A/8.3/90>12	E108805-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=150	E108805-20L	20 L
Eurol Hykrol VHLP ISO-VG 22	E108790-210L	210 L
HLP DIN 51524 part 3; FZG A/8.3/90>12	E108790-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=150	E108790-5L	4x5 L
Eurol Hykrol VHLP ISO-VG 32	E108800-210L	210 L
HLP DIN 51524 part 3; FZG A/8.3/90>12	E108800-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=150	E108800-20L	20 L
	E108800-5L	4x5 L
	E108800-1L	12x1 L
Eurol Hykrol VHLP ISO-VG 46	E108810-210L	210 L
HLP DIN 51524 part 3; FZG A/8.3/90>12	E108810-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=150	E108810-20L	20 L
	E108810-5L	4x5 L
	E108810-1L	12x1 L
Eurol Hykrol VHLP ISO-VG 68	E108815-210L	210 L
HLP DIN 51524 part 3; FZG A/8.3/90>12	E108815-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=150	E108815-20L	20 L
	E108815-5L	4x5 L
Eurol Hykrol SVI 13	E108687-210L	210 L
HLP DIN 51524 part 3 ; MIL-H-5606A ; VI > 350	E108687-60L	60 L
	E108687-20L	20 L
Eurol Hykrol SVI 26	E108688-210L	210 L
HLP DIN 51524 part 3 ; MIL-H-5606A ; VI > 370	E108688-60L	60 L
	E108688-20L	20 L




Hydraulic oil VHLP	Art. no.	Package
Performance level		
Eurol Jack Oil	E122800-500ML	12x500 ML
HLP DIN 51524 part 3 - ISO-VG 32		
For hydraulics of manual and electric jacks		
Hydraulic Oils HLP	Art. no.	Package
Performance level		
Eurol Hykrol HLP ISO-VG 10	E108685-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108685-60L	60 L
Thyssen TH-N-256132, VDMA: 24318, VI=100	E108685-20L	20 L
Eurol Hykrol HLP ISO-VG 15	E108690-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108690-60L	60 L
Thyssen TH-N-256132, VDMA: 24318, VI=100	E108690-20L	20 L
	E108690-5L	4x5 L
Eurol Hykrol HLP ISO-VG 22	E108700-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108700-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108700-20L	20 L
	E108700-5L	4x5 L
Eurol Hykrol HLP ISO-VG 32	E108710-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108710-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108710-20L	20 L
	E108710-5L	4x5 L
Eurol Hykrol HLP ISO-VG 46	E108720-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108720-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108720-20L	20 L
	E108720-5L	4x5 L
Eurol Hykrol HLP ISO-VG 68	E108730-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108730-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108730-20L	20 L
	E108730-5L	4x5 L
Eurol Hykrol HLP ISO-VG 100	E108740-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108740-60L	60 L
VDMA: 24318, Thyssen TH-N-256132, VI=100	E108740-20L	20 L
	E108740-5L	4x5 L
Eurol Hykrol HLP ISO-VG 150	E108750-210L	210 L
HLP DIN 51524 part 2; Vickers I-286-S, FZG A/8.3/90>12	E108750-60L	60 L
Thyssen TH-N-256132, VDMA: 24318, VI=100	E108750-20L	20 L
	E108750-5L	4x5 L




Fully Synthetic Gearbox oil	Art. no.	Package
<i>Performance level</i>		
Eurol Syntan EP ISO-VG 150	E115127-210L	210 L
DIN 51547 part 3; Fully synthetic (polyalkyleenglycol)	E115127-20L	20 L
not mixable with Mineral oil, not for Alu gear wheels		
Eurol Syntan EP ISO-VG 220	E100132-210L	210 L
DIN 51547 part 3; Fully synthetic (polyalkyleenglycol)	E100132-60L	60 L
not mixable with Mineral oil, not for Alu gear wheels	E100132-5L	20 L
Eurol Syntan EP ISO-VG 460	E115140-210L	210 L
DIN 51547 part 3; Fully synthetic (polyalkyleenglycol)	E115140-60L	60 L
not mixable with Mineral oil, not for Alu gear wheels	E115140-5L	20 L
Eurol Synmax PAO EP ISO-VG 150	E115504-210L	210 L
DIN 51517 part 3; Fully synthetic (polyalphaoleofine)	E115504-60L	60 L
FZG geartest > 12, US Steel 224, 222, 223, Timken OK Load > 70 Lbs, AGMA 250.04 EP/9005-D94	E115504-5L	20 L
Eurol Synmax PAO EP ISO-VG 220	E115505-210L	210 L
DIN 51517 part 3; Fully synthetic (polyalphaoleofine)	E115505-60L	60 L
FZG geartest > 12, US Steel 224, 222, 223, Timken OK Load > 70 Lbs, AGMA 250.04 EP/9005-D94	E115505-5L	20 L
Eurol Synmax PAO EP ISO-VG 320	E115506-210L	210 L
DIN 51517 part 3; Fully synthetic (polyalphaoleofine)	E115506-60L	60 L
FZG geartest > 12, US Steel 224, 222, 223, Timken OK Load > 70 Lbs, AGMA 250.04 EP/9005-D94	E115506-5L	20 L
Eurol Synmax PAO EP ISO-VG 460	E115507-210L	210 L
DIN 51517 part 3; Fully synthetic (polyalphaoleofine)	E115507-60L	60 L
FZG geartest > 12, US Steel 224, 222, 223, Timken OK Load > 70 Lbs, AGMA 250.04 EP/9005-D94	E115507-5L	20 L
Gearbox oil	Art. no.	Package
<i>Performance level</i>		
Eurol Multisept EP ISO-VG 68	E115510-210L	210 L
CLP DIN 51517 part 3, US steel 224,	E115510-60L	60 L
AGMA 250.04 EP; FZG geartest > 12	E115510-20L	20 L
	E115510-5L	4x5 L
Eurol Multisept EP ISO-VG 100	E115520-210L	210 L
CLP DIN 51517 part 3, US steel 224,	E115520-60L	60 L
AGMA 250.04 EP; FZG geartest > 12	E115520-20L	20 L
	E115520-5L	4x5 L
Eurol Multisept EP ISO-VG 150	E115530-210L	210 L
CLP DIN 51517 part 3, US steel 224,	E115530-60L	60 L
AGMA 250.04 EP; FZG geartest > 12	E115530-20L	20 L
	E115530-5L	4x5 L
Eurol Multisept EP ISO-VG 220	E115540-210L	210 L
CLP DIN 51517 part 3, US steel 224,	E115540-60L	60 L
AGMA 250.04 EP; FZG geartest > 12	E115540-20L	20 L
	E115540-5L	4x5 L




Gearbox oil	Art. no.	Package
Performance level		
Eurol Multisept EP ISO-VG 320 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG gearstest > 12	E115550-210L E115550-60L E115550-20L E115550-5L	210 L 60 L 20 L 4x5 L
Eurol Multisept EP ISO-VG 460 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG gearstest > 12	E115551-210L E115551-60L E115551-20L E115551-5L	210 L 60 L 20 L 4x5 L
Eurol Multisept EP ISO-VG 680 CLP DIN 51517 part 3, US steel 224, AGMA 250.04 EP; FZG gearstest > 12	E115565-210L E115565-60L E115565-20L E115565-5L	210 L 60 L 20 L 4x5 L
Turbine oil	Art. no.	Package
Performance level		
Eurol Cirturo ISO-VG 32 Ashless mineral turbine and circulation oil / R&O oil	E123860-20L	20 L
Eurol Cirturo ISO-VG 46 Ashless mineral turbine and circulation oil / R&O oil	E123861-20L	210 L
Cable lube	Art. no.	Package
Performance level		
Eurol Cablelube 88 Synthetic deep penetrating cable lubrication	E123475-1L	6x1L
Metal working oil	Art. no.	Package
Performance level		
Eurol Drilling oil A Mineral soluble Metal workingfluid for the not-problematic working of metals of ferro and non-ferro materials	E120460-210L E120460-60L E120460-5L	210 L 60 L 4x5 L
Eurol Syncool EPS Fully synthetic water-soluble cutting- and coolingfluid with good EP properties metal removing - and metal forming operations of ferro and non ferro materials	E120500-210L E120500-60L E120500-5L	210 L 60 L 4x5 L
Eurol Syncool EPM 3000 Semi synthetic water-soluble cutting- and coolingfluid. Free of nitrate- and phenol, For hack saws and circle saws; mixing ratio 1:10/20	E120510-210L E120510-60L E120510-5L	210 L 60 L 4x5 L
Eurol Syncool RC Semi synthetic universal water-soluble cutting- and coolingfluid for turning, drilling and turning of steel, non-ferro, glass and ceramics; mixing ratio. 1:10/45	E120550-210L E120550-60L E120550-5L	210 L 60 L 4x5 L
Eurol Syncool NT Synthetic coolings fluid of the latest generation. Bio-degradable Universal applicable with extreme long sump life. Mixing ratio 1:16	E120505-210L E120505-60L E120505-5L	210 L 60 L 4x5 L




Metal working oil	Art. no.	Package
<i>Performance level</i>		
Eurol Syncool EPU	E120531-210L	210 L
Mineral oil based fluid and is an emulsifiable cutting fluid and is suitable for light and heavy machining operations both Ferro and non-Ferro metals. Mixing Ratio depends on Application	E120531-60L	60 L
	E120531-5L	4x5 L
Eurol Grindingfluid RS	E120520-210L	210 L
Semi synthetic water-soluble and oil free cooling fluid for steel and cast iron.	E120520-60L	20 L
nitrate- and phenol free. Cast iron 1:40/60 Steel 1:60/80	E120520-5L	4x5 L
Eurol Honing oil CHV	E120530-210L	210 L
Chlorine-free honing and grinding fluid for short and long stroke honing operations	E120530-5L	4x5 L
Is used undiluted, and is safe for machine paints and seal materials.		
Eurol Cuttingoil ST	E120540-210L	60 L
Mineral cuttingoil for suitable for heavy duty machining of high-quality steels.	E120540-5L	4x5 L
Not suitable for copper(alloys).		
Eurol Cuttingoil HT	E120541-210L	210 L
Mineral cuttingoil suitable for high quality steels with difficult machinability.	E120541-60L	60 L
Very suitable for threat cutting, milling and deep drawing operations.	E120541-5L	4x5 L
Eurol SSH 15	E120595-5L	4x5 L
Chlorine-free cuttingfluid based on synthetic hydroxyl compounds with high molecular weight applied undiluted in atomizing equipment for machining copper, steel and aluminium alloys.		
Eurol SSP 22	E120600-5L	4x5 L
Cuttingfluid based on synthetic polyol ester with extra sulphurised - and phosphorous materials. Applying by spraying/atomizing, as well as in circulating systems. Very suitable for aluminium.		
Eurol System Cleaner	E120450-10L	10 L
Mineral oil-free cleaning agent for the cutting fluid reservoirs of metal working machines. Disinfects bacteria and fungi.		
Eurol Metal Protection	E120555-210L	210 L
For corrosion protection of semi-manufactured - and finished products of working operations.	E120555-60L	60 L
	E120555-5L	4x5 L
Paraffine oil		
<i>Performance level</i>		
Eurol Paraffine AG II	E117494-210L	210 L
High refined mineral oil (saturated paraffinic) of medicinal quality.	E117494-60L	60 L
Used for manufacturing medical-, pharmaceutical- and cosmetically products.	E117494-5L	4x5 L
ISO-VG 32/46; Colourless, odourless and tasteless fluid		
Eurol Paraffine HB	E117495-210L	210 L
High refined mineral oil (saturated paraffinic) of medicinal quality.	E117495-60L	60 L
Used for manufacturing medical-, pharmaceutical- and cosmetically products.	E117495-5L	4x5 L
ISO-VG 15; Colourless, odourless and tasteless fluid		




Heat transfer Oil	Art. no.	Package
<i>Performance level</i>		
Euroltherm B	E124839-210L	210 L
Heat transfer medium for closed systems. Stock point -12°C. Flash point 220 °C, Bulk T 335 °C, Zelfontbr. T 415°C, Film T 335 °C	E124839-60L	60 L
Euroltherm N	E124840-210L	210 L
Synth. heat transfer medium for open and closed systems Stolp. -60 °C, Vlamp. 180 °C, Bulk T 300 °C, Zelfontbr.T 330 °C, Film T 340 °C	E124840-60L	60 L
Euroltherm ETX	E124838-210L	210 L
Synth. Heat transfer medium for open and closed systems. Stolpunt -34°C.	E124838-60L	60 L
Compressor oil	Art. no.	Package
<i>Performance level</i>		
Eurol Fully Synthetic Compressor oil 32	E118865-60L	60 L
Fully synthetic compressor oil for lubrication of rotating oil cooled hydrovane compressors and piston compressors.	E118865-5L	4x5 L
Eurol Fully Synthetic Compressor oil 46	E118866-60L	60 L
Fully synthetic compressor oil for lubrication of rotating oil cooled hydrovane compressors and piston compressors.	E118866-20L	20 L
	E118866-5L	4x5 L
Eurol Fully Synthetic Compressor oil 68	E118846-60L	60 L
Fully synthetic compressor oil for lubrication of rotating oil cooled hydrovane compressors and piston compressors.	E118846-20L	20 L
	E118846-5L	4x5 L
Eurol Fully Synthetic Compressor oil 100	E118868-210L	210 L
Fully synthetic compressor oil for lubrication of rotating oil cooled hydrovane compressors and piston compressors.	E118868-60L	60 L
	E118868-20L	20 L
Eurol Telmac 46S	E118844-210L	210 L
Compressorole met demulsifying properties for the lubrication of oil cooled screw-type and vane-cell compressors. DIN 51506, VDL	E118844-20L	20 L
	E118844-5L	4x5 L
Eurol Telmac 150S	E118847-210L	210 L
Compressorole met demulsifying properties for the lubrication of oil cooled screw-type and vane-cell compressors. DIN 51506, VDL	E118847-60L	60 L
Eurol Compressor oil 32	E118842-210L	210 L
Mineral compressor oil for the lubrication of oil cooled piston compressors. DIN 51506, VDL	E118842-60L	60 L
	E118842-20L	20 L
Eurol Compressor oil 46	E118871-210L	210 L
Mineral compressor oil for the lubrication of oil cooled piston compressors. DIN 51506, VDL	E118871-20L	20 L
	E118871-5L	4x5 L
Eurol Compressor oil 68	E118840-210L	210 L
Mineral compressor oil for the lubrication of oil cooled piston compressors. DIN 51506, VDL	E118840-60L	60 L
	E118840-20L	20 L
	E118840-5L	4x5 L
	E118840-1L	12x1 L




Compressor oil	Art. no.	Package
Performance level		
Eurol Compressor oil 100	E118855-210L	210 L
Mineral compressor oil for the lubrication of oil cooled piston compressors.	E118855-60L	60 L
DIN 51506, VDL	E118855-20L	20 L
	E118855-5L	4x5 L
Vacuum pump Oil	Art. no.	Package
Performance level		
Eurol Vacuum oil ISO-VG 46	E122572-60L	60 L
Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122572-5L	4x5 L
Eurol Vacuum oil ISO-VG 68	E122566-60L	60 L
Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122566-5L	4x5 L
Eurol Vacuum oil ISO-VG 100	E122573-60L	60 L
Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122573-5L	4x5 L
Eurol Vacuum oil ISO-VG 150	E122568-60L	60 L
Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122568-5L	4x5 L
Eurol Vacuum oil ISO-VG 220	E122574-60L	60 L
Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2	E122574-5L	4x5 L
Eurol Vacuum oil ISO-VG 320	E122569-5L	4x5 L
Vickers I-286-S/I-2952-S, HLP DIN 51524 part 2.		
Dismantling oil	Art. no.	Package
Performance level		
Eurol Dismantling oil Borolei	E401470-210L	210 L
Emulsifiable liquid for stripping of wooden casings	E401470-60L	60 L
Airlube oil	Art. no.	Package
Performance level		
Eurol Rocketlube ISO-VG 10	E119860-210L	210 L
Synthetic fluid especially developed for pneumatic tools requiring	E119860-60L	60 L
a lubricant with an exceptional low pour point (-52°C)	E119860-5L	4x5 L
Eurol Eurax EP ISO-VG 46	E119850-210L	210 L
For the lubrication of pneumatic tools like air engines, demolition hammers,	E119850-60L	60 L
piling blocks and drilling machines.	E119850-5L	4x5 L
	E119850-1L	12x1 L
Slideway oil	Art. no.	Package
Performance level		
Eurol Slideway oil 32	E121486-210L	210 L
Cincinnati Milacron P53, prevents 'Stick Slip'	E121486-60L	60 L
	E121486-20L	20 L
	E121486-5L	4x5 L




Slideway oil	Art. no.	Package
Performance level		
Eurol Slideway oil 68	E121490-210L	210 L
High quality oil for the lubrication of slide ways made of plastic or metal.	E121490-60L	60 L
Cincinnati Milacron P47; prevents 'Stick Slip'	E121490-20L	20 L
	E121490-5L	4x5 L
Eurol Slideway oil 220	E121492-210L	210 L
Cincinnati Milacron P50, prevents 'Stick Slip'	E121492-60L	60 L
	E121492-20L	20 L
	E121492-5L	4x5 L
Gas engine oil	Art. no.	Package
Performance level		
Eurol Aurora 513	E101946-60L	60 L
Low Ash gas engine oil. SAE 40.		
Waukesha Level. Extreme good protection against oxidation and nitration		
Grease	Art. no.	Package
Performance level		
Eurol Multi Purpose Grease 2	E901039-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil.	E901039-15KG	15 KG
NLGI 2 - Temperature range -30/+120°C		
Eurol Multi Purpose Grease 3	E901038-180KG	180 KG
Is a lithium thickened lubricating grease, based on mineral oil.	E901038-15KG	15 KG
NLGI 3 - Temperature range -30/+120°C	E901038-600G	6x600 G
	E901038-400G	12x400 G
Eurol Lithium Complex EP 2 Plus	E901300-180KG	180 KG
Multi Purpose for application under heavy (shock) loads or vibrations	E901300-50KG	50 KG
both with low and high temperatures.; NLGI: 2/3 - -30/+150°C	E901300-20KG	20 KG
	E901300-600G	6x600 G
	E901300-400G	12x400 G
Eurol PTFE grease Complex EP 2	E901280-20KG	20 KG
Lithium Complex with PTFE; applicable in both wide temperature range and load carrying capacity	E901280-600G	6x600 G
NLGI: 2, -30/+150°C	E901280-400G	12x400 G
Eurol White Lithium Grease EP 2	E901080-180KG	180 KG
Multi Purpose, NLGI: 2 white -25/+130°C	E901080-600G	6x600 G
Eurol Universal Grease Lithium EP 2	E901030-180KG	180 KG
Multi Purpose for heavy loading	E901030-50KG	50 KG
NLGI: 2	E901030-20KG	20 KG
-25/+130°C	E901030-600G	6x600 G
	E901030-400G	12x400 G
Eurol Lithium Grease EP 3	E901040-50KG	50 KG
Multi Purpose	E901040-20KG	20 KG
NLGI: 3	E901040-600G	6x600 G
-25/+130°C	E901040-400G	12x400 G



Grease	Art. no.	Package
Performance level		
Eurol Lithium Grease EP 0	E901020-180KG	180 KG
specialy developed for trucks and busses which are suited with a central lubrication system.	E901020-50KG	50 KG
NLGI: 0 -25/+100°C	E901020-20KG	20 KG
Eurol Lithium Grease EP 00	E901010-180KG	180 KG
specialy developed for a central lubrication system (of Willy Vogel).	E901010-50KG	50 KG
NLGI: 00, -35/+100°C	E901010-20KG	20 KG
Eurol Lithiumvet EP 000	E901005-12,5KG	12,5 KG
Centraal doorsmeervet, semi vloeibaar zeer laag visceus.	E901005-5KG	5 KG
DIN KP 000 E-30ISO-L-XCBFB 000 Toepassingsbereik -30°C tot +80°C		
Eurol Calieur Grease EP 2	E901320-50KG	50 KG
Tenacious, lithium calcium grease giving excellent water repelling properties	E901320-20KG	20 KG
for lubricating points aboard of dredging machines, excavators,	E901320-600G	6x600 G
telescope cranes, locks and bridges. NLGI: 2, -20/+150°C	E901320-400G	12x400 G
Eurol Calieur Grease EP 0	E901310-20KG	20 KG
Lithium-Calcium grease NLGI-0; ISO-L-XBCHB 0; DIN KP 0K -20 for Cyclo mowers and Central Lubrication Systems		
Eurol Copper Grease	E901220-18KG	18 KG
Lubrication of sud bolts, threaded ends, manifolds,	E901220-600G	6x600 G
hub nuts, ovens etc., -30/+1100°C		
Eurol Molybdenum Disulfide Grease	E901070-50KG	50 KG
Multi Purpose with MoS2 for joint shafts	E901070-20KG	20 KG
NLGI: 2	E901070-600G	6x600 G
-25/+130°C	E901070-400G	12x400 G
Eurol CS Grease	E901095-50KG	50 KG
High temperature grease, formulated from calcium sulphonate thickener with Extreme Pressure properties	E901095-20KG	20 KG
NLGI-class 1 / 2	E901095-600G	6x600 G
	E901095-400G	12x400 G
Eurol Skala Complex Grease EP 0	E901170-180KG	180 KG
For the lubrication of heavily loaded open gears	E901170-50KG	50 KG
NLGI-class 0/1, DIN KGOG0.5N-30; ISO-L- XCDIB0.5	E901170-18KG	18 KG
Eurol HT Grease EP 2	E901090-50KG	50 KG
high temperature grease on inorganic thickener with Extreme Pressure properties	E901090-20KG	20 KG
NLGI-class 2; DIN KP 2 P-30; ISO-L-XBDGB 2	E901090-400G	12x400 G
Eurol Graphite Grease	E901072-180KG	180 KG
Eurol® Graphite Grease is an easily pumpable lubricating grease	E901072-15KG	15 KG
-30 up to 130; ISO-L-XCCEB 2; DIN KFP 2K -20	E901072-400G	12x400 G
Eurol Ceramic Grease	E901123-600G	6x600 G
anti-seize paste formulated from high molecular oil, ceramic materials, and inorganic binder and additives.		
hub nuts, ovens etc., -20/+1300°C		



Grease	Art. no.	Package
Performance level		
Eurol Ball Bearing Grease EP 2	E901210-180KG	180 KG
Multi purpose for roll-, and ball bearings	E901210-50KG	50 KG
NLGI: 2 - -25/+130°C	E901210-20KG	20 KG
	E901210-600G	6x600 G
Eurol White Vaseline acidfree	E901200-20KG	20 KG
Very high refined product of pharmaceutical quality used as a lubricant for packing machines and appliances in the food industry, as well as in the cosmetic - and pharmaceutical industry	E901200-600G	6x600 G
Eurol Silicone Grease NLGI 1-2	E901215-10KG	10 KG
excellent electric insulation and water repellent properties; American FDA 172.8805; NLGI-class 1-2	E901215-600G	6x600 G
	E901215-400G	12x400 G
Eurol Silicone Grease NLGI 3	E901217-100G	24x100 G
excellent electric insulation and water repellent properties; American FDA 172.8805; NLGI-class 3		
Eurol Leather Grease	E901230-120G	120 G
Eurol Leather grease is developed for the maintenance of clothing, shoes, jackets, seats etc. With the pure baseoils and greases it rejects water and dust and has a good absorbtion in the materials		
Undercoatings	Art. no.	Package
Eurol Undercoating Non-Airless	E201120-60L	60 L
Hazy- Spray equipment, Black, corrosion excluding	E201120-1L	12x1 L
Eurol UBC Relacquer black	E201140-1L	12x1 L
Relacquer		
Eurol ML Injection Coating	E201200-60L	60 L
Airless- or Hazy - Spray equipment	E201200-5L	4x5 L
Thin brown fluid, inner corrosion excluding		
Eurol ML Injection Wax	E201201-60L	60 L
Airless- or Hazy - Spray equipment	E201201-5L	4x5 L
Thin white fluid, inner corrosion excluding coating	E201201-1L	12x1 L
Aerosols	Art. no.	Package
Performance level		
Eurol Ceramic Spray	E701123	12x400 ML
Eurol Copper Grease Spray	E701130	12x400 ML
Eurol Zinc Spray	E701140	12x400 ML
Eurol Skala05 Lube Spray	E701170	12x400 ML
Eurol Penetrating Oil Spray	E701300	12x400 ML
Eurol Bike Shine Spray	E701305	12x400 ML
Eurol Chain Spray PTFE	E701310	12x400 ML
Eurol Silicone Protect Spray	E701320	12x400 ML




Aerosols	Art. no.	Package
Performance level		
Eurol Multi Lube MD 50 Spray	E701325	12x400 ML
Eurol Open Gear Spray	E701330	12x400 ML
Eurol Vaseline Spray	E701380	12x400 ML
Eurol ML Injection Spray	E701391	12x500 ML
Eurol Moto Leather Spray	E701400	12x400 ML
Eurol White Grease Spray with PTFE	E701420	12x400 ML
Eurol Super Brakecleaner Spray	E701445	12x500 ML
Eurol PTFE Lube Spray	E701460	12x400 ML
Eurol Contact Cleaner Spray	E701465	12x400 ML
Eurol Undercoating Spray	E701475	12x500 ML
Eurol Cockpit Cleaner Spray	E701485	12x400 ML


Battery and Diesel Fluids	Art. no.	Package
Eurol Battery Acid 37,5 %, SG = 1,28	E301300-10L	10 L
	E301300-1L	4x1 L
Eurol Demineralised Water	E301190-20L	20 L
	E301190-5L	4x5 L
	E301190-1L	12x1 L
Eurol Diesel Test Fluid Calibration fluid for fuelpumps and injectors of diesel engines. ISO 4113, SAE J967D Robert Bosch: VS 15665, Change every year.	E802480-60L	60 L
	E802480-60L	20 L
	E802480-5L	4x5 L

Handcleaner	Art. no.	Package
Eurol Handcleaner Whitestar Fresh handcleaner with lemon fragrance, without solvents > 90% Bio-degradable	E601440-60L	60 L
	E601440-4,5L	4x4,5 L
	E601440-600ML	12x600 ML
Eurol Handcleaner Yellowstar Fresh handcleaner with Terpenes > 90% Bio-degradable	E601430-60L	60 L
	E601430-4,5L	4x4,5 L
	E601430-600ML	12x600 ML
Eurol Handcleaner Redstar Cleaning of very dirty hands. Garage soap with effective granule.	E601410-60L	60 L
	E601410-4,5L	4x4,5 L
	E601410-600ML	12x600 ML
Eurol Hand Protect Lotion To be used on clean and dry hands. Based on Aloë Vera and Jojoba oil	E601450	12x250 ML


Dispensers for handcleaner	Art. no.	Package
Eurol Wall Bracket for 4,5 L PET	E400770	Piece
Eurol Dispenser for 4,5 L PET	E400771	Piece



Degreasers		Art. no.	Package
Eurol Degreaser Plus HF		E302110-210L	210 L
Red, alifatical cleaning fluid		E302110-60L	60 L
Heavy working degreaser		E302110-5L	2x5 L
Eurol Degreaser Bio HF		E302140-210L	210 L
With biodegradable emulsifier		E302140-60L	60 L
Heavy working degreaser		E302140-5L	2x5 L
Eurol Degreaser Protect HF		E302120-210L	210 L
Red, alifatical cleaning fluid		E302120-60L	60 L
corrosion- and skin protecting		E302120-5L	2x5 L
Eurol Cleaning Liquid HF		E302100-210L	210 L
Red, alifatical cleaning fluid, corrosion- and skin protecting		E302100-60L	60 L
Specially for ODR-equipment with side connector for barrels		E302100-20L	20 L
Cleaning fluids		Art. no.	Package
Eurol Power Cleaner Bio 2000		E602180-20L	20 L
Strongly concentrated cleaner, Bio-degradable		E602180-5L	4x5 L
Mixing ratio possible upto 1:25		E602180-1L	6x1 L
Eurol Shampoo Wash & Shine		E602100-20L	20 L
Concentrated biodegradable shampoo with natural wax to creates a protective cover, for hand use		E602100-5L	4x5 L
		E602100-500ML	12x500 ML
Eurol Car & Truck Cleaner		E602181-210L	210 L
Blank, Shampoo for high-pressure cleaner		E602181-20L	20 L
Eurol Floor Cleaner		E602190-20L	20 L
Fast and suitable cleaning of floors, 1:10 upto 1:50			
Eurol Oxy Cleaner		E602340-10L	10 L
Powerful cleaning product for heavy contamination, 1:1 up to 1:10			
Eurol Insect Remover		E602220-5L	4x5 L
Highly concentrated biodegradable cleaning product for fly's on the automotive body. Mixing ratio 1:5 upto 1:10		E602225-500ML	12x500 ML
Eurol Brakecleaner Special		E302520-210L	210 L
Fast cleaning of brake disc and drum brake		E302520-60L	60 L
		E302520-20L	20 L
		E302520-5L	2x5 L
Eurol Josol Cleaner		E602160-10L	10 L
cleaning of vegetable pollution of fridges, swimming pool and floors, mixing ratio. 1:5 upto 1:25		E602160-5L	4x5 L
Eurol Rim Cleaner		E602210-20L	20 L
Heavy Aluminium cleaner		E602210-5L	4x5 L
		E602215-500ML	12x500 ML




Cleaning fluids	Art. no.	Package
Eurol Delec Liquid 70-X Emulsifiable liquid, safe for rubber, metal and plastics. Rinse with water or blow dry with air. Removal of grease, oil, paint, tar and coatings.	E302150-210L E302150-60L E302150-20L	210 L 60 L 20 L
Eurol Delec Liquid 1080 ODR Colourless and aromat-free. Degreaser of surfaces and parts. Removal of oil, grease, dust, dirt and small metal parts.	E302170-210L E302170-60L E302170-20L	210 L 60 L 20 L
Eurol Thinner 5K Day Price/Euro	E303110-60L E303110-5L E303110-1L	60 L 4x5 L 12x1 L
Eurol White Spirit Day Price/Euro	E303160-1L	12x1 L
Eurol Industrial Spirit 100/140 Day Price/Euro	E303100-210L E303100-60L E303100-5L	210 L 60 L 4x5 L
Eurol Cleaning Spirit 100/140 Day Price/Euro	E303101-1L	12x1 L
Absorption products	Art. no.	Package
Eurol Super Floor Absorbent	E401310	10 KG
Eurol Oil Absorption Cloths 100 pcs	E400250	Box
Eurol Tricot Cloths (on roll)	E620200	Box
Eurol Tricot Cloths 100 pcs	E600200	Box
Cleaning equipment	Art. no.	Package
Eurol ODR -De Luxe- Part cleaning equipment, suitable for 200L barrels with side connector. Dimensions: 115 x 67 x 80 cm.	E400000	Piece
Cleaning equipment	Art. no.	Package
Eurol Dripping Tray for ODR -De Luxe- Dimensions: 120 x 120 x 14 cm	E400018	Piece
Eurol ODR -Economic- Part cleaning equipment, suitable for 60L barrels with side connector. Dimensions: 65 x 50 x 80 cm.	E400050	Piece
Eurol Dripping Tray for ODR -De Luxe- Dimensions: 120 x 60 x 10 cm	E400019	Piece
Eurol Fluid Pump for ODR	E400062	Piece
Eurol Cleaning Brush for ODR	E400040	Piece



Quality is in our nature

Various Products	Art. no.	Package
Barrel wrench Plastic	E400408	Piece
Barrel oil pump Metal	E400318	Piece
Barrel pump Plastic (Viton)	E400333	Piece
Grease dispenser for 400G	E400344	Piece
Grease dispenser for 500G	E400345	Piece
PVC drumtap 3/4" connection	E400400	Piece
Sette drumtap 3/4" connection	E400420	Piece
Eurol captap 51mm 10/5	E400166	Piece
Eurol captap 61mm 30/25/20	E400165	Piece
Koelvloeistof	Art. no.	Package
Eurol Coolant -26° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504100-210L	210 L
	E504100-60L	60 L
	E504100-20L	20 L
	E504100-5L	4x5 L
	E504100-1L	12x1 L
Eurol Coolant -36° C Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate	E504105-210L	210 L
	E504105-60L	60 L
	E504105-20L	20 L
	E504105-5L	4x5 L
	E504105-1L	12x1 L
Eurol Coolant GLX -26° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504145-210L	210 L
	E504145-60L	60 L
	E504145-20L	20 L
Eurol Coolant GLX -36° C complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+)	E504144-210L	210 L
	E504144-60L	60 L
	E504144-20L	20 L
	E504144-5L	4x5 L
	E504144-1L	12x1 L
Eurol Coolant XL Yellow -36° C miscible with all commercial coolants MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E504140-210L	210 L
	E504140-60L	60 L
	E504140-20L	20 L
	E504140-5L	4x5 L
	E504140-1L	12x1 L



Koelvloeistof Art. no. Package

Eurol Coolant GLX PP -36° C TL-VW 774 G (G12++) For Volkswagens from year 09-2006 as well as all VW Phaeton/Touareg and Audi A8 / Q7.	E504148-210L	210 L
	E504148-60L	60 L
	E504148-20L	20 L
	E504148-5L	4x5 L
	E504148-1L	12x1 L

Eurol Coolant GLS 13 -36° C VW-TL 774 J (G13)	E504149-210L	210 L
	E504149-60L	60 L
	E504149-5L	4x5 L
	E504149-1L	12x1 L

Antifreeze Art. no. Package

Eurol Antifreeze Mono-ethylene-glycol base free of nitrate, amine, borate and phosphate 1:1 = -36° C, 2:3 = -25° C, 1:2 = -18° C	E503150-210L	210 L
	E503150-60L	60 L
	E503150-20L	20 L
	E503150-5L	4x5 L
	E503150-1L	12x1 L

Eurol Antifreeze GLX complies with VW TL-VW 774 D (G12), TL-VW 774 F (G12+) MB 325.3; Detroit Diesel (incl Powercool plus); Ford WSS-M97B44-D Opel-GM6277M +B0401065; MAN 324 Typ SNF; Renault Type D; PSA Deutz / MWM 0199-99-1115 and 0199-99-2091; BS 6580; ASTM D3306/D4656/D4985	E503152-210L	210 L
	E503152-60L	60 L
	E503152-20L	20 L
	E503152-5L	4x5 L
	E503152-1L	12x1 L

Eurol Diesel Flow Improver Lowers the Freezing point of Diesel fuel with 1:1000 10°C extra protection	E802485-210L	210 L
	E802485-60L	60 L
	E802485-5L	2x5 L

Eurol Brake Defroster Iso-propylalcohol	E502610-60L	60 L
	E502610-20L	20 L
	E502610-5L	4x5 L


Screenwash Art. no. Package

Eurol Screenwash Concentrate Lemon Safe for polycarbonate, with fresh lemon fragrance	E502260-210L	210 L
	E502260-60L	60 L
	E502260-20L	20 L
	E502260-5L	4x5 L
	E502260-1L	12x1 L
	E502260-500ML	24x500 ml
	E502260-250ML	24x250 ml



Eurol Very Active De-Icer Windshield de-icer spray	E502520	12x500 ml
--	---------	-----------

IAS BVBA INDUSTRIAL RANGE



Screenwash	Art. no.	Package
Eurol Screenwash Lemon Ready for use	E502265-210L	210 L
Safe for polycarbonate, with fresh lemon fragrance, protects to -22° C	E502265-60L	60 L
	E502265-20L	20 L
	E502265-5L	4x5 L
	E502265-2L	6x2 L
Eurol Summerwash Ready to Use	E501270-5L	4x5 L
Pink Summerwash	E501270-2L	6x2 L
Eurol Summerwash Concentrate	E501268-250ML	24x250ml
Pink Summerwash for 2.5 L screenwash		